

FOR OFFICIAL USE ONLY  
DECK LOG-TITLE PAGE  
NAVPERS 3100/1 (1-66) (Formerly NAVPERS 716)

S/N-0105-404-1550



# DECK LOG BOOK

OF THE

U.S.S. \_\_\_\_\_ WADDELL \_\_\_\_\_

(DDG-24)

IDENTIFICATION NUMBER

Attached to { \_\_\_\_\_ THIRTY-TWO \_\_\_\_\_ Division,  
\_\_\_\_\_ THREE \_\_\_\_\_ Squadron,  
\_\_\_\_\_ THREE \_\_\_\_\_ Flotilla,  
\_\_\_\_\_ SEVENTH \_\_\_\_\_ Fleet,  
\_\_\_\_\_ - - - - - \_\_\_\_\_ Naval District,

Commencing 0001 WEDNESDAY 1 JANUARY -9 (I), 19 69,  
(zone time and date)

at UNITED STATES NAVAL FLEET ACTIVITY, YOKOSUKA, JAPAN,  
(location)

and ending 2400 FRIDAY 31 JANUARY -8 (H), 19 69,  
(zone time and date)

at II CORPS, REPUBLIC OF SOUTH VIETNAM  
(location)

Approved by: L. O. ARMEL, II, CDR, USN Commanding







NAVPER 3100/2 (1-66)  
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9(I) DATE WEDNESDAY 1 JANUARY 19 69  
(Day) (Date) (Month)  
AT/PASSAGE FROM US NAVAL FLEET ACTIVITY, YOKOSUKA, TO JAPAN

POSITION	ZONE	TIME	POSITION	ZONE	TIME	POSITION	ZONE	TIME	LEGEND: 1-CELESTIAL
0800			1200			2000			2-ELECTRONIC
L _____ BY _____			L _____ BY _____			L _____ BY _____			3-VISUAL
λ _____ BY _____			λ _____ BY _____			λ _____ BY _____			4-D. R.

REMARKS

φφ-φ4 YOKOSUKA NAVAL FLEET ACTIVITY,  
RESTFUL CASTLE FOR COMSEVENTH FLEET, STARS FLOWN,  
OFF BOLD ~~BARON~~ OKLAHOMA CITY  
THERE SERVES THE HOLDER OF THE SWORD IN STONE.  
COMDESRON THREE'S PENNANT, LOFTY, IT HAILS  
STERRETT'S PROUD SERVICE TO S.O.P. AFLOAT.  
WADDELL'S LONG LANCE, DESDIV THREE-TWO'S FLAG SAILS.  
EACH QUESTS FOR A PEACEFUL GRAIL, NOT TOO REMOTE.  
TO DISTANT SHORES CRUSADE THE BRAVE YOUNG KNIGHTS  
SERVING THEIR ALLIES IN A JOUST FOR RIGHTS!  
  
KNIGHTED WADDELL, DUBBED TO SERVICE FOREIGN,  
NOBLE, MOORED TO SIR STERRETT, BERTH 'LEVEN,  
SIX LINES DOUBLED BIND YOUR STARBOARD FLANK IN  
AS OUTBOARD SQUIRE OF A NEST TWO SHIPS EVEN.  
YOUR LIFE IS DRAWN FROM TWO ALFA BOILER.  
TWO AFT GENERATORS ARE YOUR STEWARDS.  
RESTING, YOUR READINESS IS FOUR, AND YOUR  
MATERIAL AT YOKE IS SET THROUGH-WARDS.  
BOLD WADDELL, DRINK SHORE'S FRESH WATER TO TOAST  
JAPANESE DEFENSE FORCES AND MERCHANTS WHO BOAST!

W.H. Schriever  
W.H. SCHRIEVER, ENS, USN.

φ4-φ8 MOORED AS BEFORE. φ745 MUSTERED THE CREW ON STATION, NO NEW ABSENTEES.  
W.H. Schriever  
W.H. SCHRIEVER, ENS, USN

φ8-12 MOORED AS BEFORE. φ900 LIT off 2B boiler. 1034 SHIFED THE LOGO FROM 2A to 2B boiler. 1045 SECURED 2A boiler.  
Hayne Ellis LTJG USNR

12-16 MOORED AS BEFORE  
Hayne Ellis LTJG USNR

16-20 MOORED AS BEFORE.  
Hayne Ellis LTJG USNR

EXAMINED  
Hayne Ellis III

U. S. N. NAVIGATOR



NAVPER 3100/2 (1-66) (BACK)  
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

S/M-0105-404-1560

USS WADDELL (DDG-24)

DATE Wednesday / Jan 19 69  
(Day) (Date) (Month)

REMARKS—CONTINUED

20-24 Moored as before

Hayne Ellis III LTJG USNOR

EXAMINED

Hayne Ellis III

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -9 (I) DATE THURSDAY 02 JANUARY 19 69  
(Day) (Date) (Month)  
AT/PASSAGE FROM U.S. NAVAL FLEET ACTIVITY, TO YOKOSUKA, JAPAN

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

04-04 MOORED STBD. SIDE TO PONTOON PIER, BERTH 11, U.S. Naval Fleet Activity, Yokosuka, Japan with seven standard mooring lines doubled. The ship is steaming auxiliary on 2B boiler and receiving fresh water from the pier. Condition of readiness IV and material condition YOK are set. Ships present include the U.S.S. Oklahoma City (CLG-5) with COMSEVENTHFLT embarked, various units of the U.S. Pacific Fleet, various units of the Japanese National Maritime Self Defense Force and various yard and district craft. SOPA is C.O. USS Tommen (AGS-15) COMDESDIV. 32 is embarked this ship.

Hayne Ellis<sup>III</sup> LTJG USNR

04-05 MOORED AS BEFORE. 0730 Set the Special Sec and Anchor detail. 0754 U.S. Navy Tug (VTB-787) is made up to the port quarter. 0759. All lines are singled up.

Hayne Ellis<sup>III</sup> LTJG USNR

08-12 MOORED AS BEFORE. 0800 UNDERWAY COLDIRON TO ALLOW USS STERETT TO GET UNDERWAY. SOPA PASSES TO C.O. USS TANNER (AGS-15) 0819 MOORED STARBOARD SIDE TO THE PONTOON PIER, BERTH 11, U.S. NAVAL FLEET ACTIVITY, YOKOSUKA, JAPAN WITH SEVEN STANDARD MOORING LINES DOUBLED.

William H. Gaik  
WILLIAM H. GAIK  
LTJG USNR

12-16 MOORED AS BEFORE.

William H. Gaik  
WILLIAM H. GAIK  
LTJG USNR

16-20 MOORED AS BEFORE.

William H. Gaik  
WILLIAM H. GAIK  
LTJG USNR

EXAMINED

Hayne Ellis<sup>III</sup>

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

# DECK LOG—REMARKS SHEET

S/M-0105-404-1560

USS WADDELL (DDG-24)

DATE THURSDAY 02 JANUARY 1969  
(Day) (Date) (Month)

## REMARKS—CONTINUED

20-24 MOORED AS BEFORE.

William H. Gaik  
WILLIAM H. GAIK  
LTJG USNR

EXAMINED:

Hayne Elise III

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -9 (I) DATE FRIDAY 3 JANUARY 19 67  
(Day) (Date) (Month)  
AT/PASSAGE FROM U.S. NAVAL FLEET ACTIVITY, TO YOKOSUKA, JAPAN

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

00-04 MOORED STARBOARD SIDE TO THE PONTON PIER, BERTH 11, U.S. NAVAL FLEET ACTIVITY, YOKOSUKA, JAPAN WITH SEVEN STANDARD MOORING LINES DOUBLED. THE SHIP'S ENGINEERING PLANT IS IN AN AUXILIARY STATUS WITH FRESH WATER COMING FROM THE PIER. CONDITION OF READINESS IV AND MATERIAL CONDITION YOKE ARE SET THROUGHOUT THE SHIP. SHIPS PRESENT INCLUDE ~~USS OKLAHOMA~~ OKLAHOMA CITY (CLG-5) WITH COMMANDER UNITED STATES SEVENTH FLEET EMBARKED, VARIOUS UNITS OF THE UNITED STATES PACIFIC FLEET, VARIOUS UNITS OF THE JAPANESE NATIONAL MARITIME SELF DEFENSE FORCE, YARD AND DISTRICT CRAFT. SOPA IS C.O. USS TANNER (AGS-15). COMMANDER DESTROYER DIVISION 32 IS EMBARKED.

William H. Galk  
WILLIAM H. GALK  
LTJG USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

William H. Galk  
WILLIAM H. GALK  
LTJG USNR

08-12 MOORED AS BEFORE.

DF Biddle  
DF Beckwith, LTJG, USN

12-16 MOORED AS BEFORE.

DF Biddle  
DF Beckwith, LTJG, USN

16-20 MOORED AS BEFORE.

DF Biddle  
DF Beckwith, LTJG, USN

20-24 MOORED AS BEFORE.

DF Biddle  
DF Beckwith, LTJG, USN

EXAMINED

Hayne Ellis III

U. S. N. NAVIGATOR



NAVPER 3100/2 (1-66) (BACK)  
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

S/M-0105-404-1560

USS \_\_\_\_\_

DATE \_\_\_\_\_, 19\_\_\_\_  
(Day) (Date) (Month)

REMARKS—CONTINUED

EXAMINED:

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

# DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL CDDG-29 ZONE DESCRIPTION -9(I) DATE SATURDAY 4 JANUARY 19 69  
(Day) (Date) (Month)  
AT/PASSAGE FROM U.S. NAVAL FLEET ACTIVITY TO YOKOSUKA, JAPAN

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

06-04 MOORED STARBOARD SIDE TO PONTON PIER, BERTH 11, U.S. NAVAL FLEET ACTIVITY, YOKOSUKA, JAPAN WITH SIX (6) STANDARD MOORING LINES DOUBLED. THE SHIP'S ENGINEERING PLANT IS STEAMING IN AN AUXILIARY STATUS WITH FRESH WATER BEING RECEIVED FROM THE PIER. CONDITION OF READINESS IV AND MATERIAL CONDITION YOKE ARE SET THROUGHOUT THE SHIP. SHIPS PRESENT INCLUDE USS OKLAHOMA CITY (CG-5) WITH COMSEVENTHFLT EMBARKED, VARIOUS UNITS OF THE UNITED STATES PACIFIC FLEET, VARIOUS UNITS OF THE JAPANESE NATIONAL MARITIME SELF-DEFENSE FORCE, YARD AND DISTRICT CRAFT. SOPA IS C.O. USS TANNER (AGS-15), COM DES DIV 32 IS EMBARKED THIS SHIP.

*DF Berkebile*  
D.F. BERKEBILE, LTJG, USN

04-08 MOORED AS BEFORE. 0730 MUSTERED THE CREW ON STATION; ABSENTEES: NONE.

*DF Berkebile*  
D.F. BERKEBILE, LTJG, USN

08-12 MOORED AS BEFORE 0846 RECEIVED MORNING MUSTER REPORT. ABSENTEES: KRULIK, C.O. B34 52 53 SA AND BLASQUINO, L.D. 598 63 98 TN.

*J. H. Meyer*  
J. H. MEYER LTJG, SC, USNR

12-16 MOORED AS BEFORE.

*J. H. Meyer*  
J. H. MEYER LTJG, SC, USNR

16-20 MOORED AS BEFORE.

*J. H. Meyer*  
J. H. MEYER LTJG, SC, USNR

20-24 MOORED AS BEFORE.

*J. H. Meyer*  
J. H. MEYER, LTJG, SC, USNR

EXAMINED

*Hayne Ellis III*

U. S. N. NAVIGATOR



DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS \_\_\_\_\_

DATE \_\_\_\_\_, 19\_\_\_\_  
(Day) (Date) (Month)

REMARKS—CONTINUED

Blank lined area for remarks.

EXAMINED:

NAVIGATOR

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

# DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -9 (1) DATE SUNDAY 5 JANUARY 19 69  
(Day) (Date) (Month)  
AT/PASSAGE FROM YOKOSUKA, JAPAN TO \_\_\_\_\_

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

00-04 MOORED STARBOARD SIDE TO PONTON PIER, BERTH 11, U.S. NAVAL FLEET ACTIVITY, YOKOSUKA JAPAN WITH SIX (6) STANDARD MOORING LINES DOUBLED. THE SHIPS ENGINEERING PLANT IS STEAMING IN AN AUXILIARY STATUS WITH FRESH WATER BEING RECEIVED FROM THE PIER. CONDITION OF READINESS II AND MATERIAL CONDITION YOKE ARE SET THROUGHOUT THE SHIP. SHIPS PRESENT INCLUDE USS OKLAHOMA CITY (CLG-5) WITH COM SEVENTHFLT EMBARKED, VARIOUS UNITS OF THE UNITED STATES PACIFIC FLEET, VARIOUS UNITS OF THE JAPANESE NATIONAL MARITIME SELF-DEFENSE FORCE, YARD AND DISTRICT CRAFT. SOPA IS C.O. USS TANNER (AGS-15) COMDESVN 32 IS EMBARKED THIS SHIP.

J. H. MEYER LTIG, SC, USNR

04-08 MOORED AS BEFORE

J. H. MEYER LTIG, SC, USNR

08-12 MOORED AS BEFORE.

Robert S. Evans  
ROBERT S. EVANS, ENS, USN

12-16 MOORED AS BEFORE.

Robert S. Evans  
ROBERT S. EVANS, ENS, USN

16-20 MOORED AS BEFORE.

Robert S. Evans  
ROBERT S. EVANS, ENS, USN

20-24 MOORED AS BEFORE.

Robert S. Evans  
ROBERT S. EVANS, ENS, USN

EXAMINED

Hayne Ellis III

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/M-0105-404-1540

USS \_\_\_\_\_

DATE \_\_\_\_\_, 19\_\_\_\_  
(Day) (Date) (Month)

REMARKS—CONTINUED

EXAMINED:

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

# DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -9 (1) DATE MONDAY 6 JANUARY 19 69  
(Day) (Date) (Month)  
AT/PASSAGE FROM YOKOSUKA, JAPAN TO \_\_\_\_\_

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

~~00-04~~ MOORED STARBOARD SIDE TO BERTH 11, PONTON PIER, U.S. NAVAL FLEET ACTIVITY, YOKOSUKA, JAPAN, WITH SIX STANDARD MOORING LINES DOUBLED. THE SHIP'S ENGINEERING PLANT IS IN AN AUXILIARY STATUS WITH 2B BOILER AND 1A AND 1B GENERATORS ON THE LINE, RECEIVING FRESH WATER FROM THE PIER. CONDITION OF READINESS FOUR AND MATERIAL CONDITION YOKE ARE SET. SOPA IS C.O., USS TANNER (AGS-15). SHIPS PRESENT INCLUDE MEMBERS OF THE U.S. PACIFIC FLEET, JAPANESE & MARITIME SELF DEFENSE FORCE, MERCHANTMEN AND DISTRICT CRAFT. COMMANDER, U.S. SEVENTH FLEET IS EMBARKED IN USS OKLAHOMA CITY (CLG-5) AND COMMANDER DESTROYER DIVISION THIRTY-TWO THIS SHIP.

*Robert S. Evans*

ROBERT S. EVANS, ENS, USN

~~04-08~~ MOORED AS BEFORE.

*Robert S. Evans*

ROBERT S. EVANS, ENS, USN

08-12 MOORED AS BEFORE 0859 RECEIVED MORNING MUSTER REPORT. ABSENTEES: KRULIK, C.D. B345253 SA, AND BLASQUINO, C.D., 5986398, TN. 1015 USS TANNER (AGS-15) GOT UNDERWAY AND STOOD OUT OF THE HARBOR. SOPA SHIFTS TO C.O. USS KLOODIKE (AR-15) 1055 RECEIVED YO 49 ALONGSIDE TO PORT 1130 COMMENCED TAKING ON FUEL.

*M. F. Maas*

M F MAAS LTJG USNR

12-16 MOORED AS BEFORE 1330 RAINIER, EM1, ADMITTED TO YOKOSUKA NAVAL HOSPITAL. 1253 SECURED FROM TAKING ON FUEL.

*M. F. Maas*

M F MAAS LTJG USNR

16-20 MOORED AS BEFORE.

*M. F. Maas*

M F MAAS LTJG USNR

20-24 MOORED AS BEFORE.

*M. F. Maas*

M F MAAS LTJG USNR

EXAMINED

*Hayne Ellis III*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/M-0105-404-1540

USS \_\_\_\_\_

DATE \_\_\_\_\_, 19\_\_\_\_  
(Day) (Date) (Month)

REMARKS-CONTINUED

EXAMINED:

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

# DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG 24 ZONE DESCRIPTION -2(I) DATE TUESDAY 7 JANUARY 19 69  
(Day) (Date) (Month)  
AT/PASSAGE FROM YOKOSUKA, JAPAN TO KAHSIUNG, TAIWAN

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L <u>34-46.5N</u>	BY <u>2.3</u>	
λ <u>139-12.9E</u>	BY <u>2.3</u>	

POSITION	ZONE	TIME
2000		
L <u>33-17.9N</u>	BY <u>1</u>	
λ <u>137-17.8E</u>	BY <u>1</u>	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

00-04 MOORED STARBOARD SIDE TO BERTH 11, U.S. NAVAL FLEET ACTIVITY, YOKOSUKA JAPAN, WITH SIX STANDARD MOORING LINES DOUBLED. THE SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET. SHIPS ENGINEERING STATUS IS 2B BOILER AND 2A, 2B GENERATORS ON THE LINE, RECEIVING FRESH WATER FROM THE PIER. SOPA IS COMMANDING OFFICER USS KLOWDIKE (AR-22). SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. SEVENTH FLEET AND JAPANESE MARITIME SELF DEFENSE FORCE.

*M. F. MARS*  
M F MARS LTJG USNR

04-08 MOORED AS BEFORE

*M. F. MARS*  
M F MARS LTJG USNR

08-12 MOORED AS BEFORE. 0830 SET SPECIAL SEA AND ANCHOR DETAIL. 0845 MAIN ENGINES TESTED. 0850 COMPLETED PREPARATIONS FOR GETTING UNDERWAY, DRAFT FORWARD 14'6", AFT 15'6", MEAN DRAFT 15'1". 0857 SET MATERIAL CONDITION YOKE. 0900 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT'S QUARTERLY OPERATING SCHEDULE FROM BERTH 11, YOKOSUKA, JAPAN TO KAHSIUNG, TAIWAN. SOPA AND OTC ARE C.O. WADDELL. COMMENCED MANEUVERING AT VARIOUS COURSES AND SPEEDS WHILE ENTERING THE CHANNEL. 0920 °/c 098. 0922 °/c 105. 0923 °/c 107. 0926 °/s 15KTS °/s 132. 0930 °/c 128. 0933 °/s 18KTS, SECURED SPECIAL SEA AND ANCHOR DETAIL. 0936 °/c 135 °/s 10KTS. 0938 °/c 158 °/s 18KTS. 0943 °/c 178 °/s 20KTS. 0947 °/c 180. 0952 °/c 192. 1005 °/c 233. 1018 °/c 19KTS. 1021 °/c 225. 1022 °/c 233. 1147 °/c 213.

*M. F. MARS*  
M F MARS LTJG USNR

12-16 UNDERWAY AS BEFORE, 1305 °/c 229°T. 1315 C/S 18 KNOTS. 1324 C/S 17 KNOTS 1331 °/c 235°T. 1340 °/c 229°T. 1345 °/c 215°T. 1347 °/c 229°T. 1359 LOST GYRO COMPASS, STEERING 245° MAGNETIC.

*Donald F. Zimmer*  
DONALD F. ZIMMER ENS USNR

EXAMINED  
*Hayne Ellis III*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

S/M-0105-404-1560

USS Waddell (DDG-24)DATE Tuesday 7 January, 1969  
(Day) (Date) (Month)

## REMARKS—CONTINUED

16-18 UNDERWAY AS BEFORE.D. W. Taylor  
D. W. TAYLOR, LTJG, USNR18-20 UNDERWAY AS BEFORE. 1802 SHIFTED STEERING CONTROL  
TO AFTER STEERING, 1808 SHIFTED STEERING CONTROL BACK TO  
BRIDGE. STBD MOTOR AND CABLE IN USE. 1929  $\frac{1}{2}$  18 KTS. 1953  
 $\frac{1}{2}$  260° PSTGC. 1955  $\frac{1}{2}$  290° PSTGC. 1956  $\frac{1}{2}$  280° PSTGC.Robert M. Howell  
ROBERT M. HOWELL  
ENS USNR20-24 2002  $\frac{1}{2}$  233° MAGNETIC. UNDERWAY AS BEFORE. 2212  $\frac{1}{2}$  17 KTS.M. F. Maas  
M. F. MAAS, LTJG USNR

EXAMINED:

Hayne C. Kise

U. S. N. NAVIGATOR



NAVPER 3100/2 (1-66)  
(Formerly NAVPER 719)

# DECK LOG-REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -9 (1) DATE WEDNESDAY 8 JANUARY 19 69  
(Day) (Date) (Month)  
AT/PASSAGE FROM YOKOSUKA, JAPAN TO KAO-HSIUNG, TAIWAN

POSITION	ZONE	TIME
0800		
L <u>31-07.8N</u>	BY <u>1</u>	
λ <u>134-34.9E</u>	BY <u>1</u>	

POSITION	ZONE	TIME
1200		
L <u>34-46.5N</u> <sup>HE</sup>	BY <u>2.3</u>	
λ <u>134-12.9E</u> <sup>HE</sup>	BY <u>2.3</u>	

POSITION	ZONE	TIME
2000		
L <u>33-17.9N</u> <sup>HE</sup>	BY <u>+</u>	
λ <u>137-17.8E</u> <sup>HE</sup>	BY <u>+</u>	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

30-18.8N 1.2  
133-31.8E 1.2

28-30.0N 2  
131-16.8E 2

REMARKS

00-04 UNDERWAY IN ACCORDANCE WITH SEVENTH FLEET QUARTERLY  
EMPLOYMENT SCHEDULE, STEAMING INDEPENDENTLY ENROUTE TO KAO-HSIUNG,  
TAIWAN. COURSE 233° PSTGC, SPEED 17 KNOTS. MATERIAL CONDITION YOKE AND CONDITION  
OF READINESS FOUR ARE SET. SHIP IS DARKENED WITH THE EXCEPTION OF BRIGHT  
NAVIGATION LIGHTS. OTC AND SOPA IS COM DES DIV 32 EMBARKED THIS SHIP

*Donald F. Zimmer*  
DONALD F. ZIMMER ENS USNR

04-08 UNDERWAY AS BEFORE. 0702 C/S TO 18 KTS.

*D. W. Taylor*  
D. W. TAYLOR, LTJG, USNR

08-12 UNDERWAY AS BEFORE. 0810 C/S 19 KTS. 0817 C/S 20 KTS. 0911 C/  
210° PSTGC. 0927 C/ 233° PSTGC.

*Robert M. Howell*  
ROBERT M. HOWELL ENS USNR

12-16 UNDERWAY AS BEFORE.

*M. F. Maas*  
M F MAAS LTJG USNR

16-18 UNDERWAY AS BEFORE

*D. W. Taylor*  
D. W. TAYLOR, LTJG, USNR

HE 2 18-20 UNDERWAY AS BEFORE

*Donald F. Zimmer*  
DONALD F. ZIMMER, ENS USNR

20-24 UNDERWAY AS BEFORE. 2001 C/S 15 KTS. COMMENCED STEERING  
BY GYRO. COURSE 229°T. 2213 C/S 13 KTS. 2306 C/ 200°T. 2319 C/ 229°T.

*Robert M. Howell*  
ROBERT M. HOWELL ENS USNR

EXAMINED

*Hayne Ellis III*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/M-0105-404-1560

USS \_\_\_\_\_

DATE \_\_\_\_\_, 19\_\_\_\_  
(Day) (Date) (Month)

REMARKS—CONTINUED

EXAMINED:

U. S. N. NAVIGATOR



NAVPER 3100/2 (1-66)  
(Formerly NAVPER 719)

## DECK LOG-REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9(I) DATE THURSDAY 9 JANUARY 19 69  
(Day) (Date) (Month)

AT/PASSAGE FROM YOKOSUKA, JAPAN TO KAO-HSIUNG, TAIWAN

POSITION	ZONE	TIME
0800		
L <u>31-07.8N</u>	BY <u>1</u>	
λ <u>134-34.9E</u>	BY <u>1</u>	

26-29.3N 2  
129-04.8E 2

POSITION	ZONE	TIME
1200		
L <u>26-36.5N</u>	BY <u>2</u>	
λ <u>128-49.6E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>25-16.6N</u>	BY <u>2</u>	
λ <u>127-02.0E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

00-04 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY DEPLOYMENT SCHEDULE. STEAMING INDEPENDENTLY SOPA AND OTC ARE COMDESDIV 32 EMBARKED THIS SHIP. MATERIAL CONDITION YOKE AND CONDITION OF READINESS IV ARE SET THROUGHOUT THE SHIP. THE SHIP IS STEERING 229° AT 13 KTS TO REACH THE DESIGNATED AREA OFF OKINAWA FOR A MISSILE SHOOT. THE SHIP IS DARKENED WITH THE EXCEPTION OF BRIGHT NAVIGATION LIGHTS. 1A AND 2B BOILERS AND 1A, 1B, 2A, AND 2B GENERATORS, SPLIT, ARE ON THE LINE. 0021 SECURED 1A GENERATOR AND PARALLELED ELECTRICAL LOAD. 0220 1A GENERATOR IS BACK ON THE LINE, ELECTRICAL LOAD IS SPLIT.

04-08 UNDERWAY AS BEFORE. 0400 <sup>WMAAS</sup> M/F MAAS, LTJG, USNR <sup>1</sup> 218°T <sup>1</sup> 15 KTS.

*Donald F. Zimmer*  
DONALD F. ZIMMER ENS USNR

08-12 UNDERWAY AS BEFORE. MUSTERED THE CREW ON STATION - NO NEW ABSENTEES. 0801 <sup>1</sup> 10 KTS 0830 <sup>1</sup> 343°T 0855 <sup>1</sup> 048°PSTGC, 0921 <sup>1</sup> 213°PSTGC 0945 SET GENERAL QUARTERS (DRILL). COMMENCED Z-32-GM (MISSILE SHOOT) EXERCISE 0950 <sup>1</sup> 000°PSTGC 1031 <sup>1</sup> 15 KTS. 1034 <sup>1</sup> 20 KTS 1044 <sup>1</sup> 10 KTS. 1106 <sup>1</sup> 233°PSTGC <sup>1</sup> 12 KTS. 1110 SECURED FROM GENERAL QUARTERS (DRILL) AND Z-32-GM EXERCISE. 1111 <sup>1</sup> 15 KTS. 1131 <sup>1</sup> 180°PSTGC

*Donald W. Taylor*  
DONALD W. TAYLOR, LTJG USNR

12-16 UNDERWAY AS BEFORE. 1200 <sup>1</sup> 20 KTS. 1205 <sup>1</sup> 233°PSTGC, <sup>1</sup> 15 KTS. 1513 COMMENCED STEERING BY GYRO. BASE COURSE 229°T. 1553 <sup>1</sup> 249.

*Robert M. Howell*  
ROBERT M. HOWELL ENS USNR

16-18 UNDERWAY AS BEFORE. 1600 <sup>1</sup> 229. 1638 <sup>1</sup> 234. 1722 <sup>1</sup> 20 KTS. 1737 <sup>1</sup> 15 KTS.

*WMAAS*  
M/F MAAS, LTJG, USNR

18-20 UNDERWAY AS BEFORE.

*Donald F. Zimmer*  
DONALD F. ZIMMER ENS USNR

EXAMINED

*Hayne Ellis III*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

S/M-0105-404-1560

USS WADDELL (DDG 24)DATE THURSDAY 9 JANUARY 19 69  
(Day) (Date) (Month)

## REMARKS-CONTINUED

20-24- UNDERWAY AS BEFORE 2001 C/L 231°T 2130 SET THE QUIET SHIP BILL 2200  
COMMENCED SONAR NOISE LEVEL TESTS AT VARIOUS SPEEDS. 2244 SECURED FROM THE  
SONAR NOISE LEVEL TESTS. 2244 C/S TO 15 KTS

*Donald W. Taylor*  
DONALD W TAYLOR  
LT (TG) USAR.

EXAMINED:

*Hayne Ellis*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9(I) DATE FRIDAY 10 JANUARY 19 69  
(Day) (Date) (Month)

AT/PASSAGE FROM YOKOSUKA, JAPAN TO KAO-HSIUNG, TAIWAN

POSITION	ZONE	TIME
0800		
L <u>23-37.5N</u>	BY <u>2</u>	
λ <u>124-11.3E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>23-09.9N</u>	BY <u>2</u>	
λ <u>123-02.9E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>22-11.9N</u>	BY <u>2</u>	
λ <u>121-23.6E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

00-04 UNDERWAY IN ACCORDANCE WITH SEVENTH FLEET QUARTERLY DEPLOYMENT SCHEDULE. STEAMING INDEPENDENTLY ENROUTE TO KAO-HSIUNG, TAIWAN. OTC AND SOPA 15 COMDESDIV 32 EMBARKED THIS SHIP. MATERIAL CONDITION YOKE AND CONDITION OF READINESS IV ARE SET THROUGHOUT THE SHIP. THE SHIP IS DARKENED WITH THE EXCEPTION OF BRIGHT RUNNING LIGHTS. BASE COURSE 231°T AND BASE SPEED 15 KTS. 0134 1/2 242°T. 0154 1/2 241°T. 0242 1/2 242°T.

*Robert M. Howell*  
ROBERT M. HOWELL ENS USNR

04-08 UNDERWAY AS BEFORE 0700 MUSTERED THE CREW ON STATION, ABSENTEES: NONE.

*M F Maas*  
M F MAAS LTJG USNR

08-12 UNDERWAY AS BEFORE.

*Donald F. Zimmer*  
DONALD F. ZIMMER, ENS, USNR

12-16 UNDERWAY AS BEFORE 1/2 238°T 1/2 13 KTS. 1303 COMMENCED MAN OVERBOARD DRILLS AT VARIOUS COURSES AND SPEEDS. 1409 SECURED FROM MAN OVERBOARD DRILLS 1/2 238°T 1/2 13 KTS. 1527 STEERING 239° PSTOC.

*Donald W. Taylor*  
DONALD W. TAYLOR  
LT(JG) USNR.

16-18 UNDERWAY AS BEFORE.

*Robert M. Howell*  
ROBERT M. HOWELL ENS USNR

18-20 UNDERWAY AS BEFORE. 1900 RETARDED ALL CLOCKS ONE HOUR TO CONFORM WITH -8(H) TIME ZONE. 1921 1/2 228 MAGNETIC.

*M F Maas*  
M F MAAS, LTJG, USNR

20-24 UNDERWAY AS BEFORE. 2042 1/2 223° PSTOC. 2236 1/2 270° PSTOC. 2302 1/2 268° PSTOC. \* 2110 SIGHTED O-LUAN PI LIGHT, BEARING 248°T, RANGE 21.4 MILES. 2352 1/2 318° PSTOC, 1/2 10 KNOTS.

*Donald F. Zimmer*  
DONALD F. ZIMMER, ENS, USNR

\* LATE ENTRY

EXAMINED

*Hayne Ellis III*

U. S. N. NAVIGATOR



NAVPER 3100/2 (1-66) (BACK)  
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

S/M-0105-404-1560

USS \_\_\_\_\_

DATE \_\_\_\_\_ 19\_\_\_\_  
(Day) (Date) (Month)

REMARKS—CONTINUED

EXAMINED :

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

# DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG 24) ZONE DESCRIPTION -8(H) DATE SATURDAY 11 JANUARY 19 69  
(Day) (Date) (Month)  
AT/PASSAGE FROM YOKOSUKA, JAPAN TO KAHSIUNG, TAIWAN

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

00-04 UNDERWAY IN ACCORDANCE WITH COMSEVENTH FLEET QUARTERLY DEPLOYMENT SCHEDULE. STEAMING INDEPENDENTLY ENROUTE TO KAHSIUNG TAIWAN. OTC AND SOPA IS COMDESPIN 32 EMBARKED THIS SHIP. MATERIAL CONDITION YOKE AND CONDITION OF READINESS IV ARE SET THROUGHOUT THE SHIP. THE SHIP IS DARKENED WITH THE EXCEPTION OF BRIGHT NAVIGATIONAL LIGHTS. BASE COURSE IS <sup>318</sup>338° PSTGC AND BASE SPEED IS 10 KTS. 0033 HELD STEERING CONTROL DRILLS WITH AFTER STEERING. 0038 SECURED FROM STEERING CONTROL DRILLS. 0302 <sup>c/c</sup> 339 PSTGC. 0305 <sup>c/s</sup> 8 KTS.

Donald W. Taylor  
DONALD W. TAYLOR  
LT(JG) USNR

04-08 UNDERWAY AS BEFORE. 0559 <sup>c/c</sup> 244° PSTGC. 0603 <sup>c/c</sup> 339° PSTGC. 0647 <sup>c/c</sup> 111° PSTGC. 0654 SECURED 1B GENERATOR, ELECTRICAL LOAD PARALLELED. 0700 MUSTERED THE CREW ON STATION, NO ABSENTEES. 0715 SET SPECIAL SEA AND ANCHOR DETAIL. 0728 <sup>c/c</sup> 114 PSTGC. 0747 <sup>c/s</sup> 10 KTS. 0753 <sup>c/c</sup> 118 PSTGC. 0758 <sup>c/s</sup> 5 KTS.

Robert M. Howell  
ROBERT M. HOWELL, ENS, USNR

08-12 UNDERWAY AS BEFORE. 0814 <sup>c/c</sup> 120° PSTGC. 0818 ALL ENGINES STOPPED. 0824 COMMENCED MANEUVERING VARIOUS COURSES AND SPEEDS TO MOOR STBD SIDE TO USS RICHARD L. WILSON (DD847) IN KAHSIUNG HARBOR. 0819 MOORED STARBOARD SIDE TO USS RICHARD L. WILSON (DD-847) THE OUTBOARD <sup>SHIP</sup> ~~WAS~~ TWO SHIP IN A TWO SHIP NEST MOORED TO THE STARBOARD SIDE OF USS PRAIRIE (AD-15) BETWEEN BUOY'S 1 AND TWO, KAHSIUNG, TAIPEI. 1015 USS DAVIS (DD-937) IS ALONGSIDE TO PORT, THE THIRD SHIP IN THE NEST.

William H. Galk  
WILLIAM H. GALK

12-16 ~~WAS~~ MOORED AS BEFORE.

William H. Galk  
WILLIAM H. GALK  
LTJG USNR

16-20 MOORED AS BEFORE.

William H. Galk  
WILLIAM H. GALK  
LTJG USNR

EXAMINED

Hayne Ellis III

U. S. N. NAVIGATOR



## DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS

WADDELL (DDG-24)

DATE

SATURDAY 11 JANUARY, 1968

(Day)

(Date)

(Month)

## REMARKS—CONTINUED

20-24 MOORED AS BEFORE.William H. Galk  
WILLIAM H. GALK  
LTJG USNR

EXAMINED:

Hayne Ellis III

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -8(H) DATE SUNDAY 12 JAN 19 69  
(Day) (Date) (Month)

AT/PASSAGE FROM KAOHSIUNG, TAIWAN -TO

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L <u>22-25.8N</u>	BY <u>2</u>	
λ <u>120-01.8E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>20-30.5N</u>	BY <u>2</u>	
λ <u>117-55.0E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

~~00-04~~ MOORED STARBOARD SIDE TO USS RICHARD L. WILSON (DD-847) WITH SEVEN STANDARD MOORING LINES DOUBLED AS THE SECOND SHIP IN A THREE SHIP NEST OUTBOARD THE STARBOARD SIDE USS PRAIRIE (AD-15), BETWEEN BUOY'S 1 AND 2, KAOHSIUNG, TAIWAN. THE THIRD SHIP IN THE NEST, OUTBOARD THIS SHIP, IS USS DAVIS (DD-937). THE SHIP'S ENGINEERING PLANT IS STEAMING IN AN AUXILIARY STATUS, RECEIVING FRESH WATER FROM THE PRAIRIE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE UNITED STATES PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMDESDRON 36 EMBARKED USS DAVIS. COMDESDIV 362 IS EMBARKED R. L. WILSON. COMDESDIV 32 IS EMBARKED THIS SHIP.

*William H. Gaik*  
WILLIAM H. GAIK, LTJG, USNR

~~04-08~~ MOORED AS BEFORE.

*William H. Gaik*  
WILLIAM H. GAIK, LTJG, USNR

~~08-12~~ MOORED AS BEFORE. ~~0900~~ MUSTERED THE CREW ON STATION, NO NEW ABSENTEES. ~~0930~~ SET SPECIAL SEA AND ANCHOR DETAIL, THE OFFICER OF THE DECK SHIFTED HIS WATCH FROM THE QUARTERDECK TO THE PILOT HOUSE. 1B AND 2A BOILERS AND 1A, 1B, AND 2B GENERATORS ARE ON THE LINE. DRAFT REPORT: FWD 14'9", AFT 15'4", MEAN 15'. 1002 2A GENERATOR ON LINE, ELECTRICAL LOAD SPLIT. 1013 USS DAVIS (DD 937) UNDERWAY. 1021 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE ENROUTE FROM KAOHSIUNG, TAIWAN TO I CORPS NGFS, SOUTH VIET NAM. SOPA AND OTC ARE COMDESDIV 32 EMBARKED. 1022 COMMENCED MANEUVERING AT VARIOUS COURSES AND SPEEDS TO STAND OUT OF KAOHSIUNG HARBOR. 1053 GIG ALONGSIDE. 1057 GIG AT THE RAIL. 1103 GIG SECURED FOR SEA. 1107 % 290 PGC, % 15 KTS. 1110 % 224 270, % 18 KTS. 1111 SECURED SPECIAL SEA AND ANCHOR DETAIL. 1112 % 224. 1115 % 20 KTS. MATERIAL CONDITION YOKE AND CONDITION OF READINESS IV ARE SET THROUGHOUT THE SHIP.

*Donald F. Berkebile*  
DONALD F. BERKEBILE, LTJG, USN

12-16 UNDERWAY AS BEFORE.

*Donald F. Zimmer*  
DONALD F. ZIMMER ENS USNR

EXAMINED

*Hayne Ellis III*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

# DECK LOG—REMARKS SHEET

S/M-0105-404-1560

USS WADDELL (DDG 24)

DATE SUNDAY 12 JANUARY 19 69  
(Day) (Date) (Month)

## REMARKS-CONTINUED

16-18 UNDERWAY AS BEFORE.

*Donald W. Taylor*  
DONALD W. TAYLOR  
LT(JG) USNR

18-20 UNDERWAY AS BEFORE.

*Robert M. Howell*  
ROBERT M. HOWELL, ENS, USNR

20-24 UNDERWAY AS BEFORE. 2200 C/L 250°F 250T

*DF Babbie*  
DF BABBIE, LTJG, USN

EXAMINED:

*Hayne E. Mc*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

# DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -8 (H) DATE MONDAY, 13 JANUARY, 19 69  
(Day) (Date) (Month)  
AT/PASSAGE FROM KAO-HSIUNG, TAIWAN TO SOUTH VIETNAM

POSITION	ZONE	TIME
0800		
L <u>18-52.2N</u>	BY <u>2</u>	
λ <u>113-58.1E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>18-24.1N</u>	BY <u>1.2</u>	
λ <u>112-29.1E</u>	BY <u>1.2</u>	

POSITION	ZONE	TIME
2000		
L <u>17-31.7N</u>	BY <u>1</u>	
λ <u>110-09.9E</u>	BY <u>1</u>	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

00-04 UNDERWAY IN ACCORDANCE WITH SEVENTH FLEET QUARTERLY EMPLOYMENT SCHEDULE, STEAMING INDEPENDENTLY ENROUTE FROM KAO-HSIUNG, TAIWAN TO SOUTH VIETNAM, SOPA AND OTC ARE COMDESIV 32 EMBARKED THIS SHIP. MATERIAL CONDITION YOKE AND CONDITION OF READINESS FOUR ARE SET. THE SHIP IS DARKENED WITH THE EXCEPTION OF BRIGHT NAVIGATION LIGHTS. BASE COURSE 250°T, SPEED 20 KNOTS.

*Donald F. Zimmer*  
DONALD F. ZIMMER ENS USNR

04-08 UNDERWAY AS BEFORE. 0510 °C 245°T

*D.W. Taylor*  
D. W. TAYLOR  
LTJG USNR

08-12 UNDERWAY AS BEFORE. 0800 SET GENERAL QUARTERS. 0805 MATERIAL CONDITION ZEBRA SET. 0838 SET CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA MODIFIED. 0850 SET SPECIAL SEA AND REPLENISHMENT DETAIL. 0907 °C 250°T. 0913 SECURED SPECIAL SEA AND REPLENISHMENT DETAIL. SET CONDITION OF READINESS II AND MATERIAL CONDITION YOKE.

*Robert M. Howell*  
ROBERT M. HOWELL ENS USNR

12-16 UNDERWAY AS BEFORE. 1300 °C 18 KTS. 1310 °C 210. 1341 °C 250. 1343 LIT FIRES UNDER 1A BOILER. 1417 COMMENCED TEST FIRING MOUNT 52. 1441 °C 210 1446 °C 190. 1500 °C 250. 1501 °C 210. SECURED FROM TEST FIRING MOUNT 52, 22 ROUNDS 5"-54 H.E. EXPENDED. 1505 COMMENCED TEST FIRING MOUNT 51. 1508 °C 250. 1512 °C 300. 1516 °C 330. 1520 °C 030. 1526 °C 330. 1528 °C 250. 1535 °C 190. 1538 SECURED FROM TEST FIRING MOUNT 51, 15 ROUNDS 15"-54 H.E. AND 7 ROUNDS C.V.T. EXPENDED. 1539 °C 250.

*D.F. Berkebile*  
D.F. BERKEBILE, LTJG, USN

16-18 UNDERWAY AS BEFORE.

*Donald F. Zimmer*  
DONALD F. ZIMMER ENS USNR

18-20 UNDERWAY AS BEFORE

*D.W. Taylor*  
D.W. TAYLOR, LTJG, USNR

EXAMINED

*Hayne Ellis III*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/M-0105-404-1540

USS Waddell (DDG-24)

DATE Monday 13 January 19 69  
(Day) (Date) (Month)

REMARKS-CONTINUED

20-24 UNDERWAY AS BEFORE.

Robert M Howell  
ROBERT M. HOWELL ENS USNR

EXAMINED:

Hayne Ellis III

U. S. N. NAVIGATOR



NAVPER 3100/2 (1-66)  
(Formerly NAVPER 719)

## DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -8(H) DATE TUESDAY 14 JANUARY 1969  
(Day) (Date) (Month)

AT/PASSAGE FROM KAO-HSIUNG, TAIWAN TO SOUTH VIET NAM

POSITION	ZONE	TIME
0800		
L <u>16-39.7N</u> BY <u>2</u>		
λ <u>107-44.3E</u> BY <u>2</u>		

POSITION	ZONE	TIME
1200		
L <u>16-27.8N</u> BY <u>2</u>		
λ <u>107-56.4E</u> BY <u>2</u>		

POSITION	ZONE	TIME
2000		
L <u>16-31.7N</u> BY <u>2</u>		
λ <u>107-58.2E</u> BY <u>2</u>		

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

ΦΦ-Φ4 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE STEAMING INDEPENDENTLY ENROUTE FROM KAO-HSIUNG, TAIWAN TO POINT BSETSEY, SOUTH VIET NAM. SOPA AND OTC ARE COMDESDIV 32 EMBARKED THIS SHIP. 1B AND 2B BOILERS AND ALL FOUR GENERATORS ARE ON THE LINE. MATERIAL CONDITION YOKE AND CONDITION OF READINESS II ARE SET THROUGHOUT THE SHIP. THE SHIP IS DARKENED WITH THE EXCEPTION OF BRIGHT NAVIGATION LIGHTS. THE SHIP IS ON COURSE 250° AT 18 KNOTS. 0200 C/C 296°T, C/S 11 KTS. 0317 C/C 299°T.

DF Balle

DF BERKOWITZ, LTJG, USN

Φ4-Φ8 UNDERWAY AS BEFORE. 0416 C/S 8 KTS. 0551 C/C 270°T. 0600 C/C 290°T C/S 10 KTS. 0604 C/C 300°T C/S 5 KTS. 0609 C/S 10 KTS. 0615 C/S 5 KTS. 0618 C/C 330°T C/S 8 KTS. 0628 C/C 130°T. 0635 C/C 100°T. 0645 C/C 330° 0700 MUSTERED THE CREW ON STATION. 0710 C/S 12 KTS. C/C 150°T SET FULL CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA (MODIFIED) THROUGHOUT THE SHIP. 0714 C/S 8 KTS. 0733 C/S 10 KTS, C/C 000°. 0740 SET MODIFIED CONDITION II.

Donald F. Zimmer

DONALD F. ZIMMER EALS USNR

08-12 UNDERWAY AS BEFORE. ~~0806~~ 0810 C/S 8 KTS. 0812 RECEIVED MORNING MUSTER REPORT. ABSENTEE: SA GEORGE D. KRULIE, B34 52 53, HAVING BEEN UA SINCE 0730, 3 JAN 1969. 0829 C/S 12 KTS. 0830 C/C 000°. 0836 C/S 8 KTS. C/S 15 KTS. 0841 C/C 138°. 0844 C/S 20 KTS. 0846 C/C 139°. 0848 C/C 134°. 0905 C/C 130°. 0913 C/C 134°. 0914 C/C 138°. 0919 C/C 140°. 0934 SET FULL CONDITION II AND MODIFIED ZEBRA. 0931 C/C 165°. COMMENCED MANEUVERING AT VARIOUS COURSES AND VARIOUS ~~AT~~ SPEEDS TO CONDUCT GUNFIRE MISSION. 0956 COMMENCED FIRING HARASSMENT FIRE 1044. CEASED FIRE HAVING FIRED 13 ROUNDS 5"/54 HC AND 11 ROUNDS 5"/54 CVT AMMUNITION. 1046 C/C 270°. 1053 C/C 300°. 1104 C/C 330°. 1110 C/S 8 KTS, SET CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKE. 1139 C/C 340°. 1145 C/C 000°. 1159 C/S 12 KTS, C/C 160°.

D.W. Kuypers

D.W. KUYPERS, LT, USNR

12-18 UNDERWAY AS BEFORE. 1202 C/S 8 KTS. 1205 C/C 180°. 1220 C/C 140°. 1222 C/C 060°. 1228 C/S 12 KTS, C/C 220°. 1242 C/S 8 KTS. 1248 C/C 040° 1326 C/C 220°. 1353 C/C 040°. 1417 C/C 220°. 1442 SET CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA MODIFIED THROUGHOUT THE SHIP. 1452 C/S 3 KTS, C/C 270°. 1501 COMMENCED FIRING "H" AND "I" TARGETS. 1518 C/S 10 KTS, C/C 090°. 1521 C/S 3 KTS. 1554 CEASED FIRE, 15 ROUNDS 5"/54 H.E. AND 21 ROUNDS 5"/54 CVT AMMUNITION EXPENDED. 1611 C/S 8 KTS, C/C 010°, SET CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKE THROUGHOUT THE SHIP. 1641 C/C 040°. 1702 C/S 15 KTS. 1706 C/C 050°. 1714 C/C 060°. 1716 C/C 070°. 1719 C/S 10 KTS.

EXAMINED

Hayne Ellis III

U. S. N. NAVIGATOR



NAVPER 3100/2 (1-66) (BACK)  
(Formerly NAVPER 719)

## DECK LOG—REMARKS SHEET

S/M-0105-404-1560

USS WADDELL (ADG-24)DATE TUESDAY 14 JANUARY 19 69  
(Day) (Date) (Month)

## REMARKS—CONTINUED

12-18 (CONTINUED) 1734 % 240°D.F. BERKOBILE, USN

18-21 18-24 UNDERWAY AS BEFORE. 1814 1/2 8 KTS. 1843 1/2 108° T. 1/2 20 KTS.  
1851 SET SPECIAL SEA AND REPELING DETAIL. MANEUVERING TO TAKE STATION  
1000 YDS. ASTERN USS CACAPON (AO-52). 1913 COMMENCED OUR  
APPROACH TO TAKE STATION ALONGSIDE PORT SIDE OF CACAPON. 1917  
FIRST LINE OVER. 2010 ALL LINES CLEAR. 1/2 308° T. 1/2 20 KTS.  
2012 SECURED SPECIAL SEA AND REPELING DETAIL. 2013 1/2 175° T.  
2015 1/2 15 KTS. 2017 1/2 10 KTS. 2027 1/2 170° T. 2050 1/2 12 KTS 1/2 060°  
2053 1/2 8 KTS

D.W. KUYPERS, LT, USNR

21-24 UNDERWAY AS BEFORE 2135 1/2 240° 2225 1/2 060° 2259 1/2 240°  
2304 1/2 185° 2306 1/2 12 KTS 2311 1/2 195° 2330 SET CONDITION OF  
READINESS II AND MATERIAL CONDITION ZEBRA (MODIFIED) 2348 1/2 060° 2349 1/2 5 KTS

MF MAAS CTIC USN

EXAMINED:

Hayne Ellis III

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG 24 ZONE DESCRIPTION -8H DATE WEDNESDAY 15 JANUARY 1969  
(Day) (Date) (Month)

AT/PASSAGE FROM SOUTH VIET NAM TO

POSITION	ZONE	TIME
0800		
L <u>14-38.7N</u>	BY <u>2</u>	
λ <u>109-15.3E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>13-47.2N</u>	BY <u>3</u>	
λ <u>109-25E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
2000		
L <u>12-02.3N</u>	BY <u>2.3</u>	
λ <u>109-30.2E</u>	BY <u>2.3</u>	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

08-03 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE OPERATING INDEPENDENTLY IN THE VICINITY OF POINT CLAUDIA WHILE PROVIDING NAVAL GUNFIRE SUPPORT. SORT AND OTC ARE COMDES DIV 32 EMBARKED. THE SHIP IS COMPLETELY DARKENED. CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA MODIFIED ARE SET. "H" AND "I" FIRE COMMENCED AT 0808. MANEUVERING AT VARIOUS COURSES AT 5 KTS DURING FIRING. 1B AND 2B BOILERS ARE ON THE LINE. 1A, 2A AND 2B GENERATORS ARE ON THE LINE. 0146 CEASED FIRE, 26 ROUNDS OF 5"54 HIGH EXPLOSIVE AND 26 ROUNDS OF 5"54 CUT WERE EXTENDED. 0148 % 090, CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKE ARE SET THROUGHOUT THE SHIP. 0150 % 160. 0154 % 15 KTS, % 110. 0201 % 115. 0204 % 110, % 20 KTS. 0258 C/C TO 143°

*P. R. O'Harrow*

P. R. O'HARROW LT USN

03-06 UNDERWAY AS BEFORE. 0321 % 141° 0327 % 143°. 0336 % 133° 0342 % 145°. 0344 % 150° 0350 % 140°. 0356 % 143°. 0415 % 152° 0527 % 15 KTS 0533 % 125°. 0605 % 140° % 20 KTS. 0609 150° T. 0631 % 175° T.

*D. F. Beckwith*  
D. F. BECKWITH, LTJG USN

06-09 UNDERWAY AS BEFORE. 0728 % 160° T. 0731 % 165° T. 0734 % 15 KTS. 0754 % 205° T. 0803 % 195° T. 0832 % 185° T. 0837 % 190° T. 0840 % 195° T. 0842 % 15 KTS. 0844 % 100° T. 0845 % 080° T. 0846 % 075° T. 0848 % 070° T. % 060° T. 0849 % 10 KTS. 0851 % 5 KTS. 0857 A/E STOP.

*D. W. Kuyper*  
D. W. KUYPER, LTJG USN

09-12 UNDERWAY AS BEFORE 0906 DISEMBARKED COMDES DIV 32 AND STAFF TO USS ORLECK (DD 886) VIA WHALE BOAT TRANSFER 0909 % 10 KTS 0911 % 15 KTS 0912 % 070°, 0914 % 160° 0916 LIT FIRES UNDER "1A" BOILER 0924 % 12 KTS 1045 % 167° 1048 PLACED "1A" BOILER ON THE LINE 1056 SECURED "1B" BOILER. 1125 % 16 KTS

*M. F. Mares*  
M. F. MARES LTJG USN

12-15 UNDERWAY AS BEFORE. 1202 % 156. 1218 % 175. 1440 % 12. 1446 % 165. 1451 COMMENCED TEST FIRING MOUNT 51.

*P. R. O'Harrow*  
P. R. O'HARROW, LT, USN

EXAMINED

*Hayre Ellis III*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

# DECK LOG—REMARKS SHEET

S/M-0105-404-1560

USS WADSWORTH CDDG-24

DATE WEDNESDAY 15 JANUARY, 19 69  
(Day) (Date) (Month)

## REMARKS—CONTINUED

15-18 UNDERWAY AS BEFORE. 1456 CEASED FIRE. EXPENDED A TOTAL OF 4 ROUNDS HIGH EXPLOSIVE 5"-54 PROJECTILES AND FULL SERVICE CHARGES. 1507  $\% \phi 90^\circ$ . 1515  $\% 5$  KTS. 1550  $\% \phi 80^\circ$ .  $\% \phi 60^\circ$  1551  $\% \phi 65^\circ$  1553 ALL ENGINES STOP. 1606  $\% 190^\circ$   $\% 10$  KTS. 1615  $\% 120^\circ$ . 1623  $\% 190^\circ$ . 1630  $\% 120^\circ$ . 1632  $\% 130^\circ$  1654  $\% 140^\circ$  1655  $\% 150^\circ$ . 1702  $\% 195^\circ$ .

*DF Buhl*  
D F BERTERILE, LTJG, USN

18-21 UNDERWAY AS BEFORE. 1854 SIGHTED MUI RACH TRANG LIGHT BEARING  $257^\circ$ , RANGE 13.7 MILES. 1958  $\% 204^\circ$ .

*D.W. Kuyper*  
D.W. KUYPER, LT, USNR

21-24 UNDERWAY AS BEFORE 2258  $\% 140^\circ$  2345  $\% 210^\circ$

*M.F. Maas*  
M F MAAS LTJG USNR

EXAMINED:

*Hayne Ellis III*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

# DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -8H DATE THURSDAY 16 JANUARY, 19 69  
(Day) (Date) (Month)

AT/PASSAGE FROM COASTAL WATERS, SOUTH VIET TO NAM

POSITION	ZONE	TIME
0800		
L <u>11-17.8N</u>	BY <u>2,3</u>	
λ <u>109-16.6E</u>	BY <u>2,3</u>	

POSITION	ZONE	TIME
1200		
L <u>10-55.9N</u>	BY <u>2,3</u>	
λ <u>108-49.6E</u>	BY <u>2,3</u>	

POSITION	ZONE	TIME
2000		
L <u>10-28.9N</u>	BY <u>2</u>	
λ <u>108-11.2E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

08-03 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE OPERATING INDEPENDENTLY OFF COAST OF SOUTH VIETNAM IN THE VICINITY OF IV CTZ ENROUTE TO RELIEVE HMAS PERTH (D-38) FOR NAVAL GUNFIRE SUPPORT MISSION. THE SHIP IS A MEMBER OF TU 70.8.9. SOPA AND OTC IS COMMANDING OFFICER THIS SHIP. CONDITION OF READINESS II (MODIFIED) AND MATERIAL CONDITION YOKE ARE SET. ~~NAVIGATION~~ THE SHIP IS DARKENED WITH THE EXCEPTION OF STANDARD NAVIGATION LIGHTS ON BRIGHT 1A AND 2B BOILERS; 1B, 2A, AND 2B GENERATORS ARE ON THE LINE. STEAMING ON COURSE 230° SPEED 10 KNOTS 0852 COMMENCED LOSS OF STEERING CONTROL DRILL 0102 C/C TO 030° 0105 COMPLETED STEERING DRILL 0110 C/C TO 060° 0143 C/C TO 010° 0232 C/C TO 230°  
P.R. O'HARROW  
P.R. O'HARROW LT USN

03-06 UNDERWAY AS BEFORE. 0320 C/C 010°T. 0344 C/C 030°T. 0506 C/C 210°T. 0545 C/C 185°T.

D.F. BERGHEIM, LTJG USN

06-09 UNDERWAY AS BEFORE. 0622 C/C 030°T. 0650 C/C 010°T. 0834 C/C 15 KTS. 0836 C/C 210°T. 0839 C/C 10 KTS.

D.W. KUYPERS, LT, USNR

09-12 UNDERWAY AS BEFORE 0959 C/C 238°T. 1048 C/C 243°T

M.F. MAAS LTJG USNR

12-15 UNDERWAY AS BEFORE. 1209 C/C 237. 1234 C/C 243. 1259 BOILER 2A ON LINE AND 2B SECURED. 1325 C/C 250. 1327 C/C 255. 1328 SET SPECIAL SEA AND REFUELING DETAIL. 1332 C/C 205. 1333 C/C 275, C/C 15 KTS. 1334 C/C 20 KTS. 1336 COMMENCED MANEUVERING TO APPROACH USS TOLOVANA (AO-64). 1359 ALONGSIDE USS TOLOVANA, STBD SIDE TO, BASE COURSE 070, SPEED 12 KTS.

P.R. O'HARROW, LT, USN

15-18 UNDERWAY AS BEFORE. 1525 ALL LINES CLEAR FROM USS TOLOVANA (AO-64), C/C 20 KTS, C/C 065. 1526 C/C 235. 1528 SECURED SPECIAL SEA AND REFUELING DETAIL, C/C 10 KTS.

EXAMINED  
Hayne Ellis III

U. S. N. NAVIGATOR



NAVPER 3100/2 (1-66) (BACK)  
(Formerly NAVPER 719)

## DECK LOG—REMARKS SHEET

S/M-0105-404-1540

USS Waddell (DDG-24)DATE THURSDAY 16 Jan 1969  
(Day) (Date) (Month)

## REMARKS—CONTINUED

D.F. Berkebile  
D.F. BERKEBILE, LTJG USN

18-21 UNDERWAY AS BEFORE 1904 C/C 215°. 1939 C/C 250°.

D.W. Snyper  
D.W. SNYPER, LTJG USN21-24 UNDERWAY AS BEFORE 2125 C/C 270°T. 2158 C/C 250°T.  
2205 C/C 8 KTS 2254 C/C 270°T 2327 C/C 250°T 2345  
C/C 230°T 2345 SIGHTED MUI VUNG TAU LIGHT BEARING  
270°T.M.F. Maas  
M.F. MAAS, LTJG USN

EXAMINED:

Hayne Ellis III

U. S. N. NAVIGATOR



USS WADDELL DDG-24 ZONE DESCRIPTION -8(H) DATE FRIDAY 17 JANUARY, 19 69  
(Day) (Date) (Month)

AT/PASSAGE FROM SOUTH VIET NAM, I CORPS <sup>TO</sup> ~~TO~~ SOUTH VIET NAM, IV CORPS

POSITION	ZONE	TIME
0800		
L <u>10-11.4N</u>	BY	<u>2.3</u>
λ <u>107-09.7E</u>	BY	<u>2.3</u>

	POSITION	ZONE	TIME
	1200		
L	10-13.3N	BY	2,3
λ	107-09.7E	BY	2,3

POSITION	ZONE	TIME
2000		
L 9-25.7N	BY	2
λ 106-332E	BY	2

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

06-03 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE OPERATING INDEPENDENTLY IN TRANSIT TO IV CORPS, SOUTH VIET NAM. SGA AND OTC ARE COMMANDING OFFICER OF THIS SHIP. CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKO ARE SET THROUGHOUT THE SHIP. 1A AND 2A BOILERS AND 1A, 1B, 2A, AND 2B GENERATORS ARE ON LINE, ENGINEERING PLANT AND ELECTRICAL LOAD ARE SPLIT. THE SHIP IS DARKENED WITH THE EXCEPTION OF BRIGHT NAVIGATION LIGHTS. THE SHIP IS ON COURSE 230 AND SPEED 8 KNOTS. 0650 C 206. 0117 C 248. 0238 2B BOILER ON LINE AND 2A BOILER SECURED.

DP Berchelte

D. F. BERKEBILE, LTJG, USN

03-06 UNDERWAY AS BEFORE. 0451  $\angle$  066°. 0529  $\angle$  248°. 0552 SET THE LIGHT  
LINE DETAIL. 0555  $\angle$  245°  $\angle$  15 KTS 0558  $\angle$  250°. 0606 MANEUVERING TO  
COMMENCE AN APPROACH ON THE HMAS PERTH, BASE COURSE 060, BASE  
SPEED 12 KTS. 0623 ALONGSIDE. 0630 COMMENCED BREAKAWAY  $\angle$  230°  $\angle$  20 KTS.  
0634  $\angle$  000°  $\angle$  10 KTS. 0642  $\angle$  8 KTS.

AL Harrow LT USN

P. R. O'HARROW LT USN

06-09 UNDERWAY AT BEFORE. 0727 4C 055°T. 0747 4C 070°T. 0804 4S 12KTS. 0806 4C 250° 0808 4C 240°.  
0809 4S 8KTS. 0820 4S 10KTS. 0822 4C 230°T. 0829 4S 12KTS. 0846 4C 353°T.

Hayes Ellis<sup>29</sup> LITG 48411

09-12 UNDERWAY AS BEFORE 0904 % 356°T, 0906 % 000°T, 0907 % 015°T  
0909 % 020°T 0911 % 355°T 0927 SET THE SPECIAL SEA AND ANCHOR  
DETAIL 0930 % 000°T 0938 % 305°T 0939 COMMENCED MANEUVERING  
AT VARIOUS COURSES AND SPEEDS 1025 HARBOR PATROL CRAFT ALONGSIDE TO STBD,  
RECEIVED LT PETRUSKA, USN, AND MAJ DURRANT, USMC, FOR BRIEFING 1034 SECURED SPECIAL  
SEA AND ANCHOR DETAIL, COURSE 130°T, SPEED 12 KTS 1044 % 125°T 1045 % 130°T  
1104 % 0 KTS, 1105 % 163°T 1106 % 12 KTS 1107 % 130°T 1136 % 310°T  
1137 % 10 KTS 1156 % 320°T  
MFMMAAS LTJG USNR

Infraas MF MAAS LTJG USNR

12-15 UNDERWAY AS BEFORE. 1216  $\% 332$ . 1227 SET SPECIAL SEA AND ANCHOR DETAIL. 1236  $\% 15$  KTS,  $\% 315$ .  
1239  $\% 000$   $\% 10$  KTS. 1241  $\% 5$  KTS. 1245 COMMENCED MANEUVERING AT VARIOUS COURSES AND SPEEDS TO  
RECEIVE A HARBOR PATROL CRAFT ALONGSIDE TO STBD. 1252 HARBOR PATROL CRAFT ALONGSIDE, TWO VISITORS DEPARTED.  
1257  $\% 167$ ,  $\% 15$  KTS, PATROL CRAFT CLEAR. 1300  $\% 130$ . 1302 SECURED SPECIAL SEA AND ANCHOR DETAIL. 1315  $\% 180$ ,  $\% 10$  KTS. 1324  $\% 170$ . 1352  $\% 210$ . 1443 C/C TO  $206^{\circ}$

RR Harris to use

P.R. O'HARROW, LT, USN

15-18' UNDERWAY AS BEFORE. 1524 % 186°T. 1547 % 218°T. 1643 % 225°T.  
1711 % 230°T. 1718 % 223°T. 1739 % 213°T. 1746 % 210°T. 1748 % 200°T

D.F. Berkebile, LEO, USN

EXAMINED

AMINED  
Hayne Ellis III

U. S. N. NAVIGATOR



NAVPER 3100/2 (1-66) (BACK)  
(Formerly NAVPER 719)

## DECK LOG—REMARKS SHEET

S/M-0105-404-1560

USS WADDELL (DDG-24)DATE FRIDAY 17 JANUARY 1969  
(Day) (Date) (Month)

## REMARKS—CONTINUED

18-21 UNDERWAY AS BEFORE. 1758  $\nabla$  225°. 1930  $\nabla$  045°. 1931  $\nabla$  12 KTS. 1934  $\nabla$  18 KTS. 1948  $\nabla$  055°. 1956  $\nabla$  045°.

*D.W. Kuypers*  
D.W. KUYPERS, LT, USNR

21-24 UNDERWAY AS BEFORE. 2127  $\nabla$  225°. 2220  $\nabla$  045°. 2230 SET FULL CONDITION II,  $\nabla$  040°. 2241  $\nabla$  045°. 2303 COMMENCED FIRING HARASSMENT FIRE. 2316 CEASED FIRING HAVING FIRED 8 ROUNDS 5 IN 54 HC AMMUNITION. 2342  $\nabla$  225°.

*D.W. Kuypers*  
D.W. KUYPERS, LT, USNR

EXAMINED:

*Hayne Ellis III*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

# DECK LOG-REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -8(H) DATE SATURDAY 18 JANUARY 19 69  
(Day) (Date) (Month)  
AT/PASSAGE FROM NGFS IV CORPS, SOUTH VIETNAM TO \_\_\_\_\_

POSITION	ZONE	TIME
0800		
L <u>9-30.7N</u>	BY <u>2</u>	
λ <u>106-37.5E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>9-30.7N</u>	BY <u>2</u>	
λ <u>106-36.7E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>9-30.3N</u>	BY <u>2</u>	
λ <u>106-44.7E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

00-03 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE OPERATING INDEPENDENTLY IN THE VICINITY OF POINT TRACY, SOUTH VIETNAM. SOPA AND OTC ARE COMMANDING OFFICER THIS SHIP. CONDITION OF READINESS AND MATERIAL CONDITION ZEBRA MODIFIED ARE SET THROUGHOUT THE SHIP. HARMAMENT FIRE IS IN PROGRESS. THE SHIP IS ON COURSE 225 AT 8 KNOTS. 1A AND 2B BOILERS AND 1A, 1B, 2A, AND 2B GENERATORS ARE ONLINE AND SPLIT. THE SHIP IS DARKENED WITH THE EXCEPTION OF BRIGHT NAVIGATION LIGHTS. 0036 % 045. 0107 % 220. 0111 % 5 KTS. 0131 % 8 KTS. 0143 % 145, % 16 KTS. 0159 % 8 KTS. 0205 CEASED FIRE, 16 ROUNDS 5"-54 CVT AND 16 ROUNDS 5"-54 HE AMMUNITION EXPENDED. 0206 SET CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKE THROUGHOUT THE SHIP. 0206 % 195. 0223 % 185.

*P.R. O'Harrow*

P.R. O'HARROW, LT, USN

03-06 UNDERWAY AS BEFORE. 0325 % 100°. 0336 % 200°. 0342 % 210°. 0343 % 225°. 0400 % 220°. 0404 % 195°. 0405 % 190°. 0416 % 225°. 0435 % 045°. 0540 % 290°. 0610 % 225°.

*D.F. Berkebile*

D.F. BERKEBILE, LTJG, USN

06-09 UNDERWAY AS BEFORE. 0623 % 240°. 0624 % 250°. 0631 % 260°. 0637 % 225°. 0702 % 000°. 0723 % 045°. 0745 SET FULL CONDITION II. 0816 % 270°. 0823 % 225°. 0830 % 5 KTS. 0835 % 235°. 0850 SET MODIFIED CONDITION II. % 8 KTS. % 215°.

*D.W. Koppers*

D.W. KOPPERS, LT, USNR

09-12 UNDERWAY AS BEFORE 0914 % 15 KTS % 180° T 0949 % 10 KTS 1012 % 000° T 1124 % 045° T % 8 KTS

*M.F. Maas*

M.F. MAAS LTJG, USNR

12-15 UNDERWAY AS BEFORE. 1238 % 220. 1316 % 045. 1345 % 12 KTS. 1351 % 040, % 15 KTS. 1400 % 5 KTS, % 225, SET CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA MODIFIED. 1423 % 220. 1441 % 215. 1449 % 050, % 15 KTS. 1457 % 055.

*P.R. O'Harrow*

P.R. O'HARROW, LT, USN

EXAMINED

*Hayne Ellis III*

U. S. N. NAVIGATOR



NAVPER 3100/2 (1-66) (BACK)  
(Formerly NAVPER 719)

## DECK LOG—REMARKS SHEET

S/M-0105-404-1560

USS Waddell (DDG-24)DATE Saturday 18 Jan. 19 69  
(Day) (Date) (Month)

## REMARKS—CONTINUED

15-18 UNDERWAY AS BEFORE. 1504  $\frac{1}{2}$   $\phi$  60°; 1508  $\frac{1}{2}$   $\phi$  50°. 1523  $\frac{1}{2}$  225°. 1525  $\frac{1}{2}$  5 KTS. 1543 MANEUVERING TO AVOID FISHING STAKES. 1553 RESUMED COURSE 220°, SPEED 5 KTS. 1629  $\frac{1}{2}$  10 KTS,  $\frac{1}{2}$   $\phi$  40°. 1631  $\frac{1}{2}$   $\phi$  45°,  $\frac{1}{2}$  5 KTS. 1653  $\frac{1}{2}$  10 KTS,  $\frac{1}{2}$  160°. 1729  $\frac{1}{2}$   $\phi$  90°. 1758  $\frac{1}{2}$  225°.

*D.F. Berkebile*

D.F. BERKEBILE, LTJG, USN

18-21 UNDERWAY AS BEFORE. 1829  $\frac{1}{2}$   $\phi$  45°. 1833  $\frac{1}{2}$   $\phi$  30°. 1835  $\frac{1}{2}$   $\phi$  45°. 1845  $\frac{1}{2}$  025°. 1920  $\frac{1}{2}$   $\phi$  60°. 1950  $\frac{1}{2}$   $\phi$  45°. 2039  $\frac{1}{2}$  225°.

*D.W. Kuypers*

D.W. KUYPERS, LT, USNR

21-24 UNDERWAY AS BEFORE. 2124  $\frac{1}{2}$  292°. 2134  $\frac{1}{2}$  305°. 2155  $\frac{1}{2}$  225°. 2157  $\frac{1}{2}$  5 KTS. 2200 SET FULL CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA MODIFIED. COMMENCED MANEUVERING AT VARIOUS COURSES AND VARIOUS SPEEDS TO CONDUCT HARASSMENT FIRE. 2235 COMMENCED HARASSMENT FIRE.

*D.W. Kuypers*

D.W. KUYPERS, LT, USNR.

EXAMINED:

*Henry Ellis III*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -8(H) DATE SUNDAY 19 JANUARY, 19 69  
(Day) (Date) (Month)

AT/PASSAGE FROM NGFS IV CORPS, SOUTH VIET NAM TO

POSITION	ZONE	TIME
0800		
L <u>9-21.7N</u>	BY <u>2</u>	
$\lambda$ <u>106-40.E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>9-24.8N</u>	BY <u>2</u>	
$\lambda$ <u>106-38.9E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>9-28.4N</u>	BY <u>2</u>	
$\lambda$ <u>106-48.8E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

~~00~~-03 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE OPERATING INDEPENDENTLY IN THE VICINITY OF POINT TRACY, SOUTH VIET NAM. SOPA AND OTC ARE COMMANDING OFFICER OF THIS SHIP. CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA MODIFIED ARE SET THROUGHOUT THE SHIP. HARRASSMENT FIRE IS IN PROGRESS. THE SHIP IS ON COURSE 045 AT 5 KNOTS. 1B AND 2B BOILERS AND 1A, 1B, 2A, AND 2B GENERATORS ARE ONLINE AND SPLIT. THE SHIP IS DARKENED WITH THE EXCEPTION OF BRIGHT NAVIGATION LIGHTS. 0039 % 050. 0112 % 220, % 51 KTS. 0134 % 210. 0135 % 180. 0137 CEASED FIRE; 50 ROUNDS OF 5"-54 AMMUNITION EXPENDED. SET CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKE THROUGHOUT THE SHIP. 0220 % 170. 0256 % 160. 0244 % 045. 0313 % 050

*P.R. O'Harrow*  
P.R. O'HARROW, LT, USN

03-06 UNDERWAY AS BEFORE. 0357 % 220. 0458 % 060. 0502 % 040. 0518 % 045. 0548 % 225.

*D.F. Berkebile*  
D.F. BERKEBILE, LTJG, USN

06-09 UNDERWAY AS BEFORE. 0630 % 060. 0724 % 225. 0726 % 240. 0830 % 050.

*D.W. Kuypers*  
D.W. KUYPERS, LT, USNR

09-12 UNDERWAY AS BEFORE 0925 % 230°T 1025 % 050°T 1142 % 230°T 1145 % 350°T PROCEEDING TO AREA FOR AFTERNOON NGFS MISSION

*M.F. Maas*  
M.F. MAAS, LTJG, USNR

12-15 UNDERWAY AS BEFORE. 1216 % 10 KTS. 1241 % 045, % 8 KTS. 1245 % 050. 1255 % 230. 1259 % 5 KTS. 1340 % 220. 1349 SET MATERIAL CONDITION ZEBRA MODIFIED AND CONDITION OF READINESS II. 1349 % 045, % 51 KTS. 1352 % 5 KTS. 1403 % 050. 1418 COMMENCED FIRE ON CALL FOR FIRE TARGETS. 1428 % 055, % 8 KTS. 1505 CEASED FIRE, 37 ROUNDS 5"-54 AMMUNITION EXPENDED.

*P.R. O'Harrow*  
P.R. O'HARROW, LT, USN

15-18 UNDERWAY AS BEFORE. 1508 % 080. 1510 % 220. 1526 % 5 KTS. 1530 % 15 KTS. 1532 % 20 KTS. SET CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKE. 1559 ~~MANEUVERING~~ MANEUVERING ~~ON~~

EXAMINED  
*Hayne Ellis III*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

S/M-0105-404-1560

USS

Walden (DDG-24)

DATE

Sunday 19 Jan 19 69  
(Day) (Date) (Month)

## REMARKS—CONTINUED

AT VARIOUS COURSES AND SPEEDS TO APPROACH THE USS NECHES (AO-47)  
BASE COURSE  $\phi 45^\circ$ , BASE SPEED 10 KTS., SET THE SPECIAL SEA, REFUELING, AND  
REARMING DETAIL. 1624 ALONGSIDE THE NECHES. 1807 COMMENCED BREAKAWAY  
 $\phi 265^\circ$ ,  $\phi 18$  KTS. 1808  $\phi 15$  KTS.

*D.F. Berkebile*

D.F. BERKEBILE, LTJG, USN

HWF 18-21 UNDERWAY AS BEFORE. ~~2142~~ 1841  $\phi 240^\circ$  1843  $\phi 10$  KTS. 1915  $\phi 060^\circ$   
1924  $\phi 8$  KTS 2024  $\phi 260^\circ$  2030  $\phi 275^\circ$  2032  $\phi 5$  KTS.

*D.W. Kuypers*

D.W. KUYPERS, LT, USNR

21-24 UNDERWAY AS BEFORE. 2102  $\phi 8$  KTS,  $\phi 210^\circ$ . 2152  $\phi 000^\circ$ . 2203  $\phi$   
 $\phi 10^\circ$ . 2229  $\phi 350^\circ$  2230 SET FULL CONDITION OF READINESS II AND MATERIAL  
CONDITION ZEBRA MODIFIED. ~~2320~~ 2239  $\phi 310^\circ$ . 2252  $\phi 225^\circ$ . 2254  $\phi 5$  KTS.  
2320 COMMENCED FIRING HARASSMENT FIRE. MANEUVERING AT VARIOUS COURSES AND VARIOUS  
SPEEDS TO CONDUCT HARASSMENT FIRE.

*D.W. Kuypers*

D.W. KUYPERS, LT, USNR

EXAMINED:

*Hayne Ellis III*

U. S. N. NAVIGATOR



NAVPER 3100/2 (1-66)  
(Formerly NAVPER 719)

## DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -8(H) DATE MONDAY 20 JANUARY 19 69  
(Day) (Date) (Month)

AT/PASSAGE FROM NGFS IV CORPS, SOUTH VIETNAM TO

POSITION	ZONE	TIME
0800		
L <u>10-02.7N</u>	BY <u>2</u>	
λ <u>106-55.2E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>9-47.0N</u>	BY <u>2</u>	
λ <u>106-59.8E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>9-48.4N</u>	BY <u>2</u>	
λ <u>106-50.8E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

00-03 UNDERWAY IN ACCORDANCE WITH COM SEVENTH FLOT QUARTERLY EMPLOYMENT SCHEDULE OPERATING INDEPENDENTLY IN THE VICINITY OF POINT TRACY, SOUTH VIETNAM. SOPA AND OTC ARE COMMANDING OFFICER THIS SHIP. CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA MODIFIED ARE SET THROUGHOUT THE SHIP. HARRASSMENT FIRE IS IN PROGRESS. THE SHIP IS ON COURSE 225 AT 5 KTS. 1B AND 2B BOILERS AND 1A, 1B, 2A, AND 2B GENERATORS ARE ON LINE AND SPLIT. THE SHIP IS DARKENED WITH THE EXCEPTION OF BRIGHT NAVIGATION LIGHTS. 0443 1/2 10 KTS, 1/2 045. 0446 1/2 5 KTS. 0453 1/2 050. 0115 1/2 045. 0145 1/2 050. 0154 1/2 10 KTS. 0155 1/2 225. 0157 1/2 8 KTS. 0208 1/2 145, CEASED FIRE; 32 ROUNDS 5" 54 AMMUNITION EXPENDED. 0208 CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKE SET THROUGHOUT THE SHIP. 0243 1/2 130. 0300 1/2 180. 0310 1/2 165.

*P.R. O'Harrow*

P.R. O'HARROW, LT, USN

03-06 UNDERWAY AS BEFORE 0327 1/2 225° T. 0341 1/2 045° T. 0428 1/2 040° T. 0436 1/2 050° T. 0446 1/2 10 KTS. 0451 1/2 020° T. 1/2 15 KTS. 0557 1/2 10 KTS. 1/2 015° T.

*D.F. Berkebile*  
D.F. BERKEBILE, LTJG, USN

06-09 UNDERWAY AS BEFORE. 0626 1/2 12 KTS. 0645 1/2 15 KTS. 0730 1/2 335° 1/2 10 KTS. 0731 1/2 345°. 0732 1/2 350°. 0749 1/2 045° 1/2 8 KTS. 0750 1/2 040°. 0800 1/2 180°. 0810 1/2 200°. 0812 1/2 205°. 0819 1/2 215°. 0825 1/2 225°. 0827 1/2 12 KTS. 0819 1/2 215°. 0825 1/2 225°. SET FULL CONDITION OF READINESS II. COMMENCED MANEUVERING AT VARIOUS COURSES AND SPEEDS TO CONDUCT GUNFIRE SUPPORT.

*D.W. Kuypers*

D.W. KUYPERS, LT, USNR

09-12 UNDERWAY AS BEFORE. 0915 COMMENCED FIRING AT TARGET 101. 0931 CEASED FIRING ON TARGET 101 HAVING FIRED 13 ROUNDS 5 INCH 34 HC AMMUNITION. 0954 COMMENCED FIRING AT TARGET 102. 1057 CEASED FIRING AT TARGET 102 HAVING FIRED 36 ROUNDS 5 INCH 54 HC AMMUNITION. 1106 SET CONDITION II MODIFIED. 1108 1/2 200°. 1/2 8 KTS.

*D.W. Kuypers*

D.W. KUYPERS, LT, USNR

12-15 UNDERWAY AS BEFORE. 1238 1/2 010. 1251 1/2 030. 1300 1/2 040. 1315 1/2 050. 1319 1/2 080. 1329 1/2 135. 1416 1/2 315. 1440 1/2 295.

*P.R. O'Harrow*

P.R. O'HARROW, LT, USN

15-18 UNDERWAY AS BEFORE. 1503 1/2 270°. 1509 1/2 190°. 1513 1/2 010°. 1520 1/2 340°. 1525 1/2 290°. 1530 1/2 265° SET CONDITION OF READINESS II

EXAMINED

*Hayne Ellis III*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

S/M-0105-404-1560

USS

Waddell (DDG-241)

DATE

Monday 20 Jan. 1969  
(Day) (Date) (Month)

## REMARKS—CONTINUED

15-18 (CONTINUED) AND MATERIAL CONDITION ZEBRA MODIFIED. 1533  $\frac{1}{2}$   $\phi$  15. 1534  $\frac{1}{2}$  5 KTS, 1548  $\frac{1}{2}$   $\phi$  30°. 1555  $\frac{1}{2}$  200°,  $\frac{1}{2}$  10 KTS, 1556  $\frac{1}{2}$  5 KTS, 1621  $\frac{1}{2}$  10 KTS,  $\frac{1}{2}$   $\phi$  30°. 1623  $\frac{1}{2}$  5 KTS, 1635  $\frac{1}{2}$   $\phi$  25°. 1650  $\frac{1}{2}$  10 KTS,  $\frac{1}{2}$  190°. 1652  $\frac{1}{2}$  5 KTS, 1708  $\frac{1}{2}$   $\phi$  20°. 1721 SET CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKE.

*D.F. Berkebile*

D.F. BERKEBILE, LTJG, USN

18-21 UNDERWAY AS BEFORE. 1805  $\frac{1}{2}$   $\phi$  35°. 1847  $\frac{1}{2}$  10 KTS, 1848  $\frac{1}{2}$   $\phi$  70°. 1818  $\frac{1}{2}$   $\phi$  85°. 1838  $\frac{1}{2}$  100°.  $\frac{1}{2}$  8 KTS. 1914  $\frac{1}{2}$   $\phi$  45°. 1916  $\frac{1}{2}$  270°. 1930  $\frac{1}{2}$  290°. 2000  $\frac{1}{2}$  110°. 2004  $\frac{1}{2}$  100°. 2047  $\frac{1}{2}$  280°.

*D.W. Kuypers*

D.W. KUYPERS, LT, USNR

21-24 UNDERWAY AS BEFORE. 2132  $\frac{1}{2}$   $\phi$  100°. 2151  $\frac{1}{2}$  280°. 2230  $\frac{1}{2}$  200°. 2232 SET FULL CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA MODIFIED. COMMENCED MANEUVERING AT VARIOUS COURSES AND AT VARIOUS SPEEDS WHILE CONDUCTING HARASSMENT FIRE. 2245 COMMENCED HARASSMENT FIRE.

*D.W. Kuypers*

D.W. KUYPERS, LT USNR

EXAMINED:

*Hayne Ellis III*

U. S. N. NAVIGATOR



NAVPER 3100/2 (1-66)  
(Formerly NAVPER 719)

# DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION - 8(H) DATE TUESDAY 21 JANUARY 19 69  
(Day) (Date) (Month)  
AT/PASSAGE FROM REPUBLIC OF SOUTH VIETNAM TO NGFS II CTZ

POSITION	ZONE	TIME
0800		
L <u>9-49.5N</u>	BY <u>2</u>	
λ <u>106-49.4E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>9-42.7N</u>	BY <u>2</u>	
λ <u>106-50.4E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>9-58.6N</u>	BY <u>2</u>	
λ <u>106-56 E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

00-03 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE OPERATING INDEPENDENTLY IN THE VICINITY OF POINT TRACY, SOUTH VIETNAM. SOPA AND OTC ARE COMMANDING OFFICER THIS SHIP. CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA MODIFIED ARE SET THROUGHOUT THE SHIP. HARRASSMENT FIRE IS IN PROGRESS. THE SHIP IS ON COURSE 205° AT 8 KTS. 1B AND 2A BOILERS AND 1A, 1B, 2A, 2B GENERATORS ARE ON THE LINE AND SPLIT. THE SHIP IS DARKENED WITH THE EXCEPTION OF BRIGHT NAVIGATION LIGHTS. 0019 % 025°. 0046 % 210° % 5 KTS. 0104 % 200°. 0118 % 195°. 0120 % 025°. 0144 CEASED FIRE, 38 ROUNDS OF 5"-54 AMMUNITION EXPENDED. 0145 % 110°. 0158 % 15 KTS, % 120° 0209 % 8 KTS. 0212 % 090°. 0300 % 180°.

*P.R. O'Harrow*  
P.R. O'HARROW, LT, USN

03-06 UNDERWAY AS BEFORE. 0322 % 190°. 0343 % 010°. 0412 % 000°. 0417 % 240°. 0428 % 060°. 0522 % 240°. 0545 % 263°.

*D.F. Beckwith*  
D.F. BECKWITH, LT, USN

06-09 UNDERWAY AS BEFORE 0625 % 270°T 0714 % 025°T 0724 % 035°T 0732 % 030°T 0734 % 025°T 0801 % 215°T 0813 SET FULL CONDITION II 0815 RECEIVED MORNING MUSTER. NO NEW ABSENTEES 0849 % 030°T 0900 COMMENCED FIRING SHORE BOMBARDMENT 0952 % 210°T 1029 CEASED FIRING, 73 ROUNDS HIGH EXPLOSIVE 5" 154 CAL AMMUNITION EXPENDED 1035 SET MODIFIED CONDITION II 1039 % 065°T

*D.W. Kyppers*  
D.W. KYPPERS, LT, USNR

09-12 UNDERWAY AS BEFORE 1044 LT FIRES UNDER 1A BOKER 1101 % 090°T 1103 PLACED 1A BOKER ON THE LINE 1116 % 200°T

*M.F. Maas*  
M.F. MAAS LTJG USNR

12-15 UNDERWAY AS BEFORE. 1212 1A BOILER ONLINE, SECURED 1B BOILER. 1214 % 030°. 1228 % 180°. 1323 % 020°. 1329 % 040°. 1330 COMMENCED CAPTAIN'S MAST. 1359 SECURED CAPTAIN'S MAST. 1404 % 060°. 1435 % 200°.

*P.R. O'Harrow*  
P.R. O'HARROW, LT, USN

EXAMINED

*Hayne Ellis III*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS Waddell (DDG-24)DATE Tuesday 21 Jan 19 69  
(Day) (Date) (Month)

## REMARKS—CONTINUED

15-18 UNDERWAY AS BEFORE. 1543  $\angle$  020° T. 1712  $\angle$  10 KTS,  
 $\angle$  090° T.

*D.F. Berkeville*  
 D.F. BERKEVILLE, LTJG, USN

18-21 UNDERWAY AS BEFORE. 1824  $\angle$  310°. 1829  $\angle$  8 KTS. 1944  $\angle$  040°. 2027  
 $\angle$  200°.

*D.W. Kuyper*  
 D.W. KUYPERS, LT, USNR

21-24 2102  $\angle$  306°. 2128  $\angle$  015°. 2130 SET FULL CONDITION OF READINESS IT  
 AND MATERIAL CONDITION ZEBRA MODIFIED. 2131 C/S 5 KTS. 2138  $\angle$  025°. 2156  $\angle$  8 KTS.  
 2201  $\angle$  200°. 2212 COMMENCED HARASSMENT FIRE. MANUEVERING AT VARIOUS COURSES AND AT  
 VARIOUS SPEEDS WHILE CONDUCTING HARASSMENT FIRE.

*D.W. Kuyper*  
 D.W. KUYPERS, LT, USNR

EXAMINED:

*Hayne Ellis III*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

# DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -8(H) DATE WEDNESDAY 22 JANUARY 19 69  
(Day) (Date) (Month)  
AT/PASSAGE FROM REPUBLIC OF SOUTH VIETNAM, NGFS TO IV CORPS

POSITION	ZONE	TIME
0800		
L <u>9-50.4N</u> BY <u>2</u>		
λ <u>106-57.3E</u> BY <u>2</u>		

POSITION	ZONE	TIME
1200		
L <u>9-43.9N</u> BY <u>2</u>		
λ <u>106-57.0E</u> BY <u>2</u>		

POSITION	ZONE	TIME
2000		
L <u>9-40.5N</u> BY <u>2</u>		
λ <u>106-47.5E</u> BY <u>2</u>		

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

08-03 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE OPERATING INDEPENDENTLY IN THE VICINITY OF POINT TRACY, SOUTH VIETNAM. SOPA AND OTC ARE COMMANDING OFFICER THIS SHIP. CONDITION OF READINESS II AND MATERIAL CONDITION ZEDRA MODIFIED ARE SET THROUGHOUT THE SHIP. HARRASSMENT FIRE IS IN PROGRESS. THE SHIP IS ON COURSE 020 AT 8 KNOTS. 1A AND 2A BOILERS ARE ON LINE; 1A, 1B, 2A, AND 2B GENERATORS ARE ON LINE. THE SHIP IS DARKENED WITH THE EXCEPTION OF BRIGHT NAVIGATION LIGHTS. 0826 C/C 200 0831 CEASED FIRE; 45 ROUNDS OF 5" 54 AMMUNITION EXPENDED. SET CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKE THROUGHOUT THE SHIP. 0851 C/S 15 KTS. 0858 C/S 8 KTS. 0901 C/C 170

*P.R. O'Harrow*  
P.R. O'HARROW LT USN

03-06 UNDERWAY AS BEFORE. 0327 C/C 000°. 0410 C/C 010°. 0452 R/C C/C 195°.

*D.F. Berkobille*  
D.F. BERKEBILLE, LTJG, USN

06-09 UNDERWAY AS BEFORE. 0621 C/C 010°. 0852 C/C 190°.

*D.W. Kuyper*  
D.W. KUYPER, LT, USNR

09-12 UNDERWAY AS BEFORE 0920 C/C 020° T 1014 C/C 350° T 1045 C/C 190° T

*M.F. Maas*  
M.F. MAAS LTJG USNR

12-15 UNDERWAY AS BEFORE. 1209 C/C 345. 1240 C/C 000. 1316 C/C 10 KTS. 1319 C/C 350. 1328 C/C 355. 0805 WAS 1333 C/C 020, C/S 4 12 KTS. 1339 C/C 345. 1342 C/S 15 KTS. 1348 C/C 320. 1354 C/C 325. 1356 C/C 330. WAS 1357 C/C 345. 1359 C/C 000. 1400 C/C 010. 1402 C/S 8 KTS 1409 C/C 025. 1409 C/S 8 KTS. 1419 SET CONDITION OF READINESS II AND MATERIAL CONDITION ZEDRA MODIFIED THROUGHOUT THE SHIP. 1424 C/S 5 KTS. 1444 C/C 190, C/S 8 KTS. 1448 C/S 5 KTS. 1500 C/S 8 KTS.

*P.R. O'Harrow*  
P.R. O'HARROW, LT, USN

15-18 UNDERWAY AS BEFORE. 1508 C/C 185. 1515 C/C 010. 1523 COMMENCED FIRE FOR CALL FIRE MISSIONS. 1537 C/C 040. 1538 C/C 065. 1539 C/C 070. 1535 C/C 075. 1535 C/C 205. 1537 C/C 210. 1626 C/C 180. 1629 C/C 030. 1654 CEASED FIRE, 53 ROUNDS 5" 54 AMMUNITION EXPENDED. 1656 C/C 165. SET CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKE THROUGHOUT THE SHIP. 1710 C/C 145°

*D.F. Berkobille*  
D.F. BERKEBILLE, LTJG, USN

EXAMINED

*Hayne Ellis III*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

S/M-0105-404-1560

USS WADSWELL (DDG-24)DATE WEDNESDAY 22 JANUARY 19 69  
(Day) (Date) (Month)

## REMARKS—CONTINUED

18-21 UNDERWAY AS BEFORE. 1817 C/C 215°. 2041 C/C 035°. 2059 C/C 215°.

*D. W. Kuypers*  
D. W. KUYPERS, LT, USNR

21-24 UNDERWAY AS BEFORE. 2158 C/C 225°. 2203 C/C 330°. 2206 C/C 335°. 2226 C/C 030°. 2230 SET FULL CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA MODIFIED. 2239 COMMENCED CONDUCTING HARASSMENT FIRE. MANEUVERING AT VARIOUS COURSES WHILE CONDUCTING HARASSMENT FIRE.

*D. W. Kuypers*  
D. W. KUYPERS, LT, USNR

EXAMINED:

*Hayne Ellis III*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -8(H) DATE THURSDAY 23 JANUARY 19 69  
(Day) (Date) (Month)

AT/PASSAGE FROM REPUBLIC OF SOUTH VIET NAM TO

POSITION	ZONE	TIME
0800		
L <u>9-47.7N</u>	BY <u>2</u>	
λ <u>106-47.3E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>9-49.5N</u>	BY <u>2</u>	
λ <u>106-54.1E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>10-03.7N</u>	BY <u>2</u>	
λ <u>106-59.3E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

00-03 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE OPERATING INDEPENDENTLY AS A UNIT OF TUG 8.9 IN THE VICINITY OF THE MEKONG DELTA, SOUTH VIETNAM. SOPA AND OTC ARE COMMANDING OFFICER THIS SHIP. CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA MODIFIED ARE SET THROUGHOUT THE SHIP. HARRASSMENT FIRE IS IN PROGRESS. THE SHIP IS ON COURSE 195, SPEED 8 KNOTS. 1A AND 2A BOILERS AND 1A, 1B, 2A, AND 2B GENERATORS ARE ON LINE AND SPLIT. THE SHIP IS DARKENED WITH THE EXCEPTION OF BRIGHT NAVIGATION LIGHTS. 0020 1/2 0025. 0103 CEASED FIRE; 60 ROUNDS OF 5"-54 AMMUNITION EXPENDED; SET CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION ~~II~~ YOKE THROUGHOUT THE SHIP. WTS 0104 1/2 0200. 0215 1/2 0400.

*P.R. O'Harrow*

P.R. O'HARROW, LT, USN

03-06 UNDERWAY AS BEFORE. 0303 1/2 180°T. 0312 1/2 200°T. 0315 1/2 220°T. 0349 1/2 030°T. 0351 EXPERIENCED TEMPORARY LOSS OF STEERING CONTROL TO THE BRIDGE. SHIFTED STEERING CONTROL TO AFTER STEERING. 0400 SHIFTED STEERING CONTROL TO THE BRIDGE, CONDITIONS NORMAL. 0420 CONDUCTED STEERING DRILL. 0425 1/2 180°T. 0443 1/2 130°T. 0451 CONDUCTED STEERING DRILL, CONDITIONS NORMAL. 0455 1/2 100°T. 0507 1/2 080°T. 0528 1/2 250°T. 0613 1/2 290°T.

*D.F. BERKELEY*  
D.F. BERKELEY, LT, USN

06-09 UNDERWAY AS BEFORE. 0659 1/2 070°. 0723 1/2 020°. 0742 1/2 035°. 0816 1/2 200°. 0817 SET FULL CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA MODIFIED. 0859 COMMENCED FIRING GUNFIRE SUPPORT MISSION. MANEUVERING AT VARIOUS COURSES AND SPEEDS WHILE CONDUCTING GUNFIRE SUPPORT MISSION.

*D.W. Kuyper*  
D.W. KUYPER, LT, USNR

09-12 UNDERWAY AS BEFORE. 1114 CEASED FIRING GUNFIRE SUPPORT MISSION. SET ~~COM~~ A CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKE. 1115 1/2 090°, SPEED 8 KTS. (LATE ENTRY) 1114 FIRED 107 ROUNDS 5"/54 AAC, HE AND CVT AMMUNITION.

*D.W. Kuyper*  
D.W. KUYPER, LT, USNR

EXAMINED

*Hayne Ellis III*

U. S. N. NAVIGATOR



NAVPER 3100/2 (1-66) (BACK)  
(Formerly NAVPER 719)

## DECK LOG—REMARKS SHEET

S/M-0105-404-1560

USS Waddell (DDG-24)DATE Thursday 23 Jan, 19 69  
(Day) (Date) (Month)

## REMARKS—CONTINUED

12-15 UNDERWAY AS BEFORE. 1220  $\% 180$  1225  $\% 090$ ,  $\% 12$  KTS. 1226  $\% 8$  KTS. 1240  $\% 220$ .  
1249  $\% 240$ . 1325  $\% 040$ . 1400 FIRES LIT UNDER 18 BOILER. 1400  $\% 120$ ,  $\% 15$  KTS. 1410  $\% 18$  KTS.  
1424  $\% 167$ . 1430  $\% 175$ .

*P.R. O'Harrow*

P.R. O'HARROW, LT, USN

15-18 UNDERWAY AS BEFORE. 1451  $\% 200$ . 1452  $\% 205$ . 1454 MANEUVERING TO  
TAKE REPLENISHMENT STATION ON THE U.S.S. PLATTE (AO-24), BASE ~~COURSE~~ COURSE *200*  
 $045$ , BASE SPEED 12 KTS. 1457 ~~SEA~~ SET THE SPECIAL SEA, REFUELING, AND *OK*  
REARMING DETAIL. 1533 ALONGSIDE THE PLATTE. 1737 COMMENCED BREAKAWAY  
 $\% 300$ ,  $\% 20$  KTS. 1750  $\% 10$  KTS.

*D.F. Berkebile*  
D.F. BERKEBILE, LTJG, USN

18-21 UNDERWAY AS BEFORE. 1808 SECURED 2B BOILER. CROSSCONNECTED THE  
PLANT ON 1A BOILER. 1934 PLACED 2A BOILER ON THE LINE. SPLIT PLANT.  
1934  $\% 045$ ,  $\% 8$  KTS. 2019  $\% 220$ .

*D.W. Kuypers*  
D.W. KUYPERS, LT, USNR

21-24 UNDERWAY AS BEFORE. 2200  $\% 350$  2225  $\% 030$  2230 SET *HE*  
FULL CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA (MODIFIED)  
2304 COMMENCED FIRING HARASSMENT FIRE. 2311  $\% 040$  2327  $\% 210$

*D.W. Kuypers*  
D.W. KUYPERS, LT, USNR

EXAMINED:

*Heath Ellis III*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

# DECK LOG-REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DOG 24 ZONE DESCRIPTION -8(H) DATE FRIDAY 24 JANUARY, 19 69  
(Day) (Date) (Month)

AT/PASSAGE FROM REPUBLIC OF SOUTH VIETNAM, N6FS, IV CORPS TO \_\_\_\_\_

POSITION	ZONE	TIME
0800		
L <u>9-48.2N</u>	BY <u>2</u>	
λ <u>106-56.8E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>9-58.4N</u>	BY <u>2</u>	
λ <u>106-55.2E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>9-49.6N</u>	BY <u>2</u>	
λ <u>106-52.9E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

08-03 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE OPERATING INDEPENDENTLY AS A UNIT OF TUT08.9 IN THE VICINITY OF THE MEKONG DELTA, SOUTH VIETNAM. SOPA AND OTC ARE COMMANDING OFFICER THIS SHIP. CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA MODIFIED ARE SET THROUGHOUT THE SHIP. HARRASSMENT FIRE IS IN PROGRESS. THE SHIP IS ON COURSE 210° AT 8 KNOTS. 1A AND 2A BOILERS ARE ON LINE, PLANT SPLIT. 1A, 1B, 2A, 2B GENERATORS ON LINE, ELECTRICAL LOAD SPLIT. THE SHIP IS DARKENED WITH THE EXCEPTION OF BRIGHT NAVIGATION LIGHTS. 0824 % 030. 0109 % 015. 0112 CEASED FIRE, 36 ROUNDS OF 5" 54 HE AND CVT AMMUNITION EXPENDED. SET CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKE THROUGHOUT THE SHIP. 0135 % 180.

*P.R. O'Harrow*  
P.R. O'HARROW LT USN

03-06 UNDERWAY AS BEFORE. 0321 % 060° T. 0322 % 050° T. 0405 % 220° T. 0451 % 050° T. 0547 % 230° T. 0615 % 030° T.

*D.F. Berkeley*  
D.F. BERKELEY, LTJG, USN

06-09 UNDERWAY AS BEFORE. 0639 % 210°. 0730 % 045°.

*D.W. Kuypers*  
D.W. KUYPERS, LT, USNR

09-12 UNDERWAY ~~IN~~ AS BEFORE 0900 % 225° 0900 LT FIRES UNDER 1B BOILER 1000 % 045° 1024 PLACED 1B BOILER ON THE LINE, SECURED 1A BOILER. 1100 % 315° PROCEEDING TO ARVN FOR AFTERNOON NGFS MISSION.

*M.F. Maas*  
M.F. MAAS LTJG USNR

12-18 UNDERWAY AS BEFORE. 1210 % 255. 1214 % 250. 1219 % 340. 1227 % 350. 1232 % 045. 1237 % 170, % 8 KTS. 1240 % 14 KTS, % 190. 1245 % 090, COMMENCED STEERING VARIOUS COURSES TO AVOID FISHING NETS. 1350 % 5 KTS. 1405 % 3 KTS, SET CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA MODIFIED. 1443 % 8 KTS, % 180°. 1446 % 3 KTS. 1459 % 200°. 1517 % 8 KTS, % 050°. 1520 % 3 KTS. 1558 % 220°. COMMENCED FIRING. 1631 % 065°. 1632 % 040°. 1703 CEASED FIRE. EXPENDED 27 ROUNDS 5"/54 HE AND AAC AMUNITION. 1708 % 010°. % 8 KTS. SET CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKE. 1716 % 095°. 1734 050°. 1745 090°.

*D.F. Berkeley*  
D.F. BERKELEY, LTJG, USN

EXAMINED

*Hayne Ellis III*

U. S. N. NAVIGATOR



NAVPER 3100/2 (1-66) (BACK)  
(Formerly NAVPER 719)

## DECK LOG—REMARKS SHEET

S/M-0105-404-1560

USS WADDELL DDG-24DATE FRIDAY 24 JAN, 19 69  
(Day) (Date) (Month)

## REMARKS—CONTINUED

18-21 UNDERWAY AS BEFORE. 1830 C 220° 1856 C ~~247~~ 205°D.W. Kuypers  
D.W. Kuypers, LT, USNR18 21-24 UNDERWAY AS BEFORE. 2100 C 280° 2126 C 025° 2130 SET  
FULL CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA MODIFIED.  
2151 COMMENCED FIRING HARASSMENT FIRE. MANEUVERING AT VARIOUS COURSES  
WHILE CONDUCTING HARASSMENT FIRE. 2341 CEASED FIRING HARASSMENT FIRE  
HAVING EXPENDED 36 ROUNDS 5"/54 HC AND AAC AMMUNITION. SET CONDITION OF  
READINESS II MODIFIED AND MATERIAL CONDITION YOKE. C 110°, SPEED 8 KTS.D.W. Kuypers  
D.W. Kuypers, LT, USNR

EXAMINED

Hayne Ellis III

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

# DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG 24 ZONE DESCRIPTION -8(H) DATE SATURDAY 25 JANUARY 19 69  
(Day) (Date) (Month)

AT/PASSAGE FROM REPUBLIC OF SOUTH VIETNAM, NGFS IV CORPS TO \_\_\_\_\_

POSITION	ZONE	TIME
0800		
L <u>9-44.2N</u>	BY <u>2</u>	
λ <u>106-46.6E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>9-44.5N</u>	BY <u>2</u>	
λ <u>106-52.7E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>9-53.7N</u>	BY <u>2</u>	
λ <u>106-55.5E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

00-03 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE OPERATING INDEPENDENTLY AS A UNIT OF TU 7.8.9 IN THE VICINITY OF THE MEKONG DELTA, SOUTH VIETNAM, SOPA AND OTC ARE COMMANDING OFFICER THIS SHIP. MATERIAL CONDITION YOKE AND CONDITION OF READINESS II MODIFIED ARE SET THROUGHOUT THE SHIP. THE SHIP IS ON COURSE 110 AT 8 KTS. 1A AND 2A BOILERS ARE ON LINE, PLANT SPLIT. 1A, 1B, 2A, AND 2B GENERATORS ON LINE, ELECTRICAL LOAD SPLIT. THE SHIP IS DARKENED WITH THE EXCEPTION OF BRIGHT NAVIGATION LIGHTS. 0021 % 130. 0135 % 320. 0225 % 045. 0307 C/C TO 210.

*D. W. Taylor*  
D. W. TAYLOR, LTJG, USNR

03-06 UNDERWAY AS BEFORE. 0344 % 220. 0400 % 030. 0409 % 090. 0421 % 050. 0452 % 090. 0516 % 270. 0546 % 265. 0602 % 270. 0619 % 090.

*DF B. B. B.*  
D. F. BEECHER, LTJG, USNR

06-09 UNDERWAY AS BEFORE. 0645 % 270. 0725 % 265. 0729 % 270. 0732 % 12 KTS. 0745 % 280. 0800 % 025. 0805 % 5 KTS. 0815 SET FULL CONDITION II. 0832 % 330. 0834 % 10 KTS. 0839 % 5 KTS. 0845 COMMENCED STEERING VARIOUS COURSES AND ENGINE SPEEDS WHILE LYING TO. 0859 COMMENCED FIRING 0954 CEASED FIRING ON NCFS ASSIGNED TARGET, 49 ROUNDS OF HIGH EXPLOSIVE 5"/54 CAL AMMUNITION EXPENDED. 1026 SET MODIFIED CONDITION II.

*D. W. Kuypers*  
D. W. KUYPERS, LT, USNR

09-12 UNDERWAY AS BEFORE MANEUVERING AT VARIOUS COURSES AND ENGINE SPEEDS WHILE RECOVERING BUOY. 1103 BUOY IS ABOARD % 110, % 8 KTS.

*M. F. Maas*  
M. F. MAAS, LTJG, USNR

12-15 UNDERWAY AS BEFORE. 1243 % 200. 1321 % 200. 1339 % 200. 1352 % 010. 1441 WAS C/C TO 200.

*D. W. Taylor*  
D. W. TAYLOR, LTJG, USNR

15-18 UNDERWAY AS BEFORE. 1606 % 025. 1639 % 065. 1640 % 025. 1743 % 195.

*DF B. B. B.*  
D. F. BEECHER, LTJG, USNR

EXAMINED

*Hayne Ellis III*

U. S. N. NAVIGATOR



NAVPER 3100/2 (1-66) (BACK)  
(Formerly NAVPER 719)

## DECK LOG—REMARKS SHEET

S/M-0105-404-1560

USS WADDELL DDG-24DATE SATURDAY 25 JAN 19 69  
(Day) (Date) (Month)

## REMARKS—CONTINUED

18-21 UNDERWAY AS BEFORE. 1815  $\angle$  C  $\phi$   $\phi$   $\phi$   $^{\circ}$ . 1906  $\angle$  C  $\phi$   $\phi$   $^{\circ}$ . 1932  $\angle$  C  $\phi$   $\phi$   $^{\circ}$ . 2015  $\angle$  C 325. 2049  $\angle$  C 340.  $\angle$  S 10 KTS.

*D.W. Kuypers*  
D.W. KUYPERS, LT, USNR

21-24 UNDERWAY AS BEFORE. 2100  $\angle$  C  $\phi$  30  $^{\circ}$ ,  $\angle$  S 8 KTS, SET FULL CONDITION OF READINESS II AND MATERIAL CONDITION TERRA MODIFIED. 2110  $\angle$  C 210. 2121 COMMENCED FIRING HARASSMENT FIRE, MANEUVERING AT VARIOUS COURSES WHILE CONDUCTING HARASSMENT FIRE. 2333 CEASED HARASSMENT FIRE HAVING EXPENDED 36 ROUNDS OF 5"/54 HC AND AAC AMMUNITION. SET CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKO. STEERING COURSE 190  $^{\circ}$ , SPEED 8 KTS. 2338  $\angle$  C 145. 0006  $\angle$  C 170  $^{\circ}$ .

*D.W. Kuypers*  
D.W. KUYPERS LT, USNR

EXAMINED:

*Hayne Ellis III*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

# DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -8(H) DATE SUNDAY 26 JANUARY, 19 69  
(Day) (Date) (Month)  
AT/PASSAGE FROM REPUBLIC OF SOUTH VIETNAM TO

POSITION	ZONE	TIME
0800		
L <u>9-44.3N</u> BY <u>2</u>		
λ <u>106-57E</u> BY <u>2</u>		

POSITION	ZONE	TIME
1200		
L <u>9-57.4N</u> BY <u>2</u>		
λ <u>106-53.3E</u> BY <u>2</u>		

POSITION	ZONE	TIME
2000		
L <u>9-48.2N</u> BY <u>2</u>		
λ <u>107-02.3E</u> BY <u>2</u>		

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

08-03 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY OPERATING SCHEDULE OPERATING INDEPENDENTLY AS A UNIT OF TUTO 8.9 IN THE VICINITY OF THE MEKONG DELTA, SOUTH VIETNAM. SOPA AND UTC ARE COMMANDING OFFICER THIS SHIP. CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKE ARE SET THROUGHOUT THE SHIP. 1B AND 2A BOILERS ARE ON LINE, PLANT SPLIT. 1A, 1B, 2A, AND 2B GENERATORS ARE ON LINE, ELECTRICAL LOAD SPLIT. THE SHIP IS ON COURSE 145 AT 8 KNOTS. THE SHIP IS DARKENED WITH THE EXCEPTION OF BRIGHT NAVIGATION LIGHTS. 0132 % 260. 0137 % 5 KTS. 0218 % 080. 0231 % 8 KTS. 0259 % 200.

*D. W. Taylor*  
D. W. TAYLOR, LTJG, USNR

03-06 UNDERWAY AS BEFORE. 0340 % 0300T. 0355 % 0900T. 0412 % 2600T. 0422 % 2350T. 0431 % 2000T. 0458 % 0600T. 0531 % 0250T. 0559 % 0100T.

*DF Biddle*  
DF BIDDLE, LTJG, USN

06-09 UNDERWAY AS BEFORE. 0706 % 2000. 0830 % 020.

*D. W. Kuypers*  
D. W. KUYPERS, LT, USNR

09-12 UNDERWAY AS BEFORE 0903 LIT FIRES UNDER '1A' BOILER 0956 SECURED '1A' BOILER 0958 % 200. 1037 % 345. THE

*M. F. Matus*  
M. F. MATAS, LTJG, USNR

12-18 UNDERWAY AS BEFORE. 1214 % 000. 1220 % 345. 1229 % 035, % 5 KTS. 1244 % 200. 1246 % 8 KTS. 1250 % 5 KTS. 1325 % 030. 1401 SET CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA MODIFIED. 1407 % 230. 1411 % 3 KTS. 1420 MANEUVERING VARIOUS COURSES AND SPEEDS WHILE LYING TO. 1448 COMMENCED FIRING ON CALL FOR FIRE MISSIONS. 1607 CEASED FIRE, 67 ROUNDS OF 5"54 AMMUNITION EXPENDED. 1619 SET CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKE. STEERING VARIOUS COURSES AND SPEEDS TO RECOVER BOUY. 1634 % 090, % 8 KTS. 1706 % 155T. 1709 % 170T. 1730 % 100T

*DF Biddle*  
DF BIDDLE, LTJG, USN

18-21 UNDERWAY AS BEFORE. 1833 % 150. 1930 % 240.

*D. W. Kuypers*  
D. W. KUYPERS, LT, USNR

EXAMINED

*Hayne Ellis III*

U. S. N. NAVIGATOR



NAVPER 3100/2 (1-66) (BACK)  
(Formerly NAVPER 719)

## DECK LOG—REMARKS SHEET

S/N-0105-404-1540

USS Waddell (DDG-24)DATE Sunday 26 Jan. 19 69  
(Day) (Date) (Month)

## REMARKS—CONTINUED

21-24 UNDERWAY AS BEFORE 2144 % 340° 2241 % 010°  
2246 % 200° 2247 % 195° SET FULL CONDITION II  
2301 COMMENCED FIRING HARRASSMENT FIRE. 2325 % 025°  
2351 % 200°

MFMAAS  
MFMAAS LTJG USN

EXAMINED:

Hayne Ellis III

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG 24 ZONE DESCRIPTION -8(H) DATE MONDAY 27 JANUARY 19 69  
(Day) (Date) (Month)

AT/PASSAGE FROM REPUBLIC OF SOUTH VIETNAM TO

POSITION	ZONE	TIME
0800		
L <u>9-45.6N</u> BY <u>2</u>		
λ <u>107-02.5E</u> BY <u>2</u>		

POSITION	ZONE	TIME
1200		
L <u>9-52.2N</u> BY <u>2</u>		
λ <u>106-59.5E</u> BY <u>2</u>		

POSITION	ZONE	TIME
2000		
L <u>9-46.1N</u> BY <u>2</u>		
λ <u>106-53.7E</u> BY <u>2</u>		

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

06-03 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE OPERATING INDEPENDENTLY AS A UNIT OF TU 708.9 IN THE VICINITY OF THE MEKONG DELTA, SOUTH VIETNAM. SOPA AND OTC ARE COMMANDING OFFICER THIS SHIP. CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA MODIFIED. HARRASSMENT FIRE IS IN PROGRESS. 1B AND 2A BOILERS ARE ON LINE, PLANT SPLIT. 1A, 1B, 2A, AND 2B GENERATORS ARE ON LINE, ELECTRICAL LOAD SPLIT. THE SHIP IS DARKENED WITH THE EXCEPTION OF BRIGHT NAVIGATION LIGHTS. THE SHIP IS ON COURSE 200 AT 8 KNOTS. 0606 C/C 220. 0616 C/C 185. 0625 C/C 025. 0630 C/C 015. 0633 C/C 025. 0639 S/S 3 KTS AND C/C 030. 0654 C/S 8 KTS. 0655 C/C 020. 0708 CEASED FIRE, 36 ROUNDS 5"-54 AMMUNITION EXPENDED. 0710 C/C 110, SET CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKE. 0723 C/C 120. 0734 C/C 090. 0744 C/C 190. 0724 C/C 090. 0730 LIT FIRES UNDER 2B BOILER. 0754 C/C 025.

D. W. Taylor

D. W. TAYLOR, LTJG, USNR

03-06 UNDERWAY AS BEFORE. 0340 C/C 030° T. 0351 C/C 040° T. 0412 C/C 025° T. 0429 C/C 195° T. 0505 C/C 225° T. 0525 C/C 205° T. 0605 C/C 025° T.

D. F. Beekbire

D. F. BECKBIRE, LTJG, USN

06-09 UNDERWAY AS BEFORE. 0721 C/C 175°. 0728 C/C 125°. 0807 SET SPECIAL SEA AND REFUELING DETAIL 0808 S/S 20 KTS C/C 126°. 0809 C/C 180°. 0820 COMMENCED MANEUVERING AT VARIOUS COURSES TO COME ALONGSIDE USS MATAPONI (AO-41) 0835 ALONGSIDE USS MATAPONI FOR REFUELING AND REARMING BASE COURSE 040° BASE SPEED 12 KTS 0844 TRANSFERRED COPE, R.Y., B930254 R03 TO WADDELL BY HIGHLINE.

D. W. Kuypers

D. W. KUYPERS LT USNR

09-12 UNDERWAY AS BEFORE ALONGSIDE MATAPONI 1037 ALL LINES CLEAR COMMENCED BREAKAWAY S/S 20 KTS 1039 C/C 255° SET COURSE FOR NGFS STATION VICINITY MEKONG DELTA 1043 S/S 15 KTS

M. F. Maas

M. F. MAAS LTJG USNR

12-18 UNDERWAY AS BEFORE. 1150 C/C 200°. 1213 C/C 270°. 1244 C/C 250°. 1252 C/C 270°. 1304 S/S 8 KTS. 1310 C/C 200°. 1312 S/S 5 KTS. 1318 C/C 170°. 1320 C/C 160°. 1327 C/C 140°. 1341 SET CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA MODIFIED. 1345 C/C 065. 1347 S/S 3 KTS. 1402 PLACED BUOY IN THE WATER. MANEUVERING TO MAINTAIN STATION ON BUOY. 1406 COMMENCED FIRING. 1510 MANEUVERING TO PLACE SECOND BUOY IN THE WATER. 1527 PLACED

EXAMINED

Hayre Ellis III

U. S. N. NAVIGATOR



NAVPER 3100/2 (1-66) (BACK)  
(Formerly NAVPER 719)

## DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS Waddell (DDG-24)DATE Monday 27 Jan. 19 69  
(Day) (Date) (Month)

## REMARKS—CONTINUED

12-18 (CONTINUED) SECOND BUOY IN THE WATER. MANEUVERING TO MAINTAIN  
 SA STATION ON SECOND BUOY. 1602 CEASED FIRE. SET CONDITION OF READINESS ~~AT~~  
 II MODIFIED AND ~~BOAT~~ MATERIAL CONDITION YOKE. AMMUNITION EXPENDED: ~~AT~~  
 109 ROUNDS HIGH CAPACITY 5"/54 PROJECTILES WITH 109 ROUNDS NACO  
 POWDER WITH NO CASUALTIES. MANEUVERING TO RECOVER BUOYS FROM THE  
 WATER. 1634 COMPLETED RECOVERY OF BOTH BUOYS.  $\% 100$   $\% 58$  KTS. 1637  $\% 090^\circ$   
 1640  $\% 110^\circ$ . 1730  $\% 200^\circ$ .

*D.F. Beckwith*  
 D.F. BECKWITH, LTJG, USN

18-21 UNDERWAY AS BEFORE. 1801  $\% 020^\circ$ . 1826  $\% 060^\circ$ . 1835  $\% 090^\circ$   
 1902  $\% 290^\circ$ . 1930  $\% 025^\circ$ . 2012  $\% 265^\circ$ . 2100  $\% 031^\circ$ .

*D.W. Kuypers*  
 D.W. KUYPERS, LT, USN

21-24 UNDERWAY AS BEFORE 2135  $\% 210^\circ$  2152 COMMENCED  
 FIRING HARRASSMENT FIRES 2212  $\% 030^\circ$  2255  $\% 210^\circ$   
 2327  $\% 030^\circ$  2346 CEASED FIRING, 36 ROUNDS HIGH  
 EXPLOSIVE 5"/54 CAL AMMUNITION EXPENDED,  $\% 090^\circ$ .

*M.F. Maas*  
 M.F. MAAS LTJG, USN

EXAMINED

*Hayne Ellis III*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

# DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG 24 ZONE DESCRIPTION -8(H) DATE TUESDAY 28 JANUARY 19 69  
(Day) (Date) (Month)  
AT/PASSAGE FROM REPUBLIC OF SOUTH VIETNAM TO \_\_\_\_\_

POSITION	ZONE	TIME
0800		
L <u>9-48.8N</u>	BY <u>2</u>	
λ <u>106-47.7E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>9-44.2N</u>	BY <u>2</u>	
λ <u>106-48.2E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>9-52.7N</u>	BY <u>2</u>	
λ <u>106-59.5E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

~~00-03~~ UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE OPERATING INDEPENDENTLY AS A UNIT OF TU 70.8.9 IN THE VICINITY OF THE MEKONG DELTA, SOUTH VIETNAM. SOPA AND OTC ARE COMMANDING OFFICER THIS SHIP. CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKE ARE SET THROUGHOUT THE SHIP. 1B AND 2B BOILERS ONLINE, PLANT SPLIT. 1A, 1B, 2A, AND 2B GENERATORS ON LINE, ELECTRICAL LOAD SPLIT. THE SHIP IS DARKENED WITH THE EXCEPTION OF BRIGHT NAVIGATION LIGHTS. THE SHIP IS ON COURSE ~~090~~ AT 8 KNOTS. ~~0107~~ C/C ~~220~~. ~~0209~~ C/C ~~090~~. ~~0240~~ C/C ~~325~~.

*D. W. Taylor*  
D. W. TAYLOR, LTJG, USNR

~~03-06~~ UNDERWAY AS BEFORE. ~~0324~~ C/C ~~060~~ T. ~~0330~~ C/C ~~090~~ T. ~~0423~~ C/C ~~205~~ T. ~~0529~~ C/C ~~297~~ T.

*Hayne Ellis III*  
D. F. BERKELEY, LTJG, USNR  
H. Ellis III LTJG, USNR

~~06-09~~ UNDERWAY AS BEFORE. ~~0715~~ C/C ~~025~~. ~~0747~~ C/C ~~210~~. ~~0822~~ C/C ~~030~~. ~~0856~~ C/C ~~210~~.

*D. W. Kuypers*  
D. W. KUYPERS, LT, USNR

~~09-12~~ UNDERWAY AS BEFORE. ~~0905~~ C/C ~~200~~. ~~0911~~ SET FULL CONDITION OF READINESS II AND MATERIAL CONDITION ZERRA MODIFIED. ~~0935~~ C/C ~~030~~. ~~0949~~ C/C ~~020~~. ~~0953~~ C/C ~~300~~, C/S 5 KTS. ~~0957~~ COMMENCED MANUEVERING AT VARIOUS COURSES AND VARIOUS SPEEDS TO CONDUCT GUNFIRE SUPPORT. ~~1009~~ COMMENCED FIRING GUNFIRE SUPPORT MISSION. ~~1055~~ CEASED FIRING HAVING EXPENDED 37 ROUNDS 5 INCH 54 CUT AND HC AMMUNITION. SET CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKE. ~~1129~~ C/C ~~090~~, C/S 5 KTS. ~~1132~~ C/S 8 KTS. ~~1133~~ C/C ~~100~~. ~~1150~~ C/C ~~155~~. ~~1153~~ C/S 5 KTS, C/C ~~130~~. ~~1155~~ C/C ~~105~~, C/S 8 KTS.

*D. W. Kuypers*  
D. W. KUYPERS, LT, USNR

~~12-15~~ UNDERWAY AS BEFORE. ~~1312~~ C/C ~~095~~. ~~1348~~ C/C ~~310~~. ~~1405~~ C/C ~~025~~.

*D. W. Taylor*  
D. W. TAYLOR, LTJG, USNR

EXAMINED

*Hayne Ellis III*

U. S. N. NAVIGATOR



NAVPER 3100/2 (1-66) (BACK)  
(Formerly NAVPER 719)

## DECK LOG—REMARKS SHEET

S/M-0105-404-1560

USS Waddell (DDG-24)DATE Tuesday 28 Jan, 19 69  
(Day) (Date) (Month)

## REMARKS—CONTINUED

15-18 UNDERWAY AS BEFORE. 1456  $\angle$  270°T. 1517  $\angle$  240°T. 1531  $\angle$  120°T.  
1538  $\angle$  140°T. 1609  $\angle$  025°T. 1715  $\angle$  090°T. 1740  $\angle$  205°T.

*D.F. Berkley*  
D.F. BERKLEY, LTJG, USN

18-21 UNDERWAY AS BEFORE. 1829  $\angle$  101°T. 1831  $\angle$  81°T. 1844  $\angle$  040° 2045  $\angle$  290°

*D.W. Kuypers*  
D.W. KUYPERS, LT, USNR

21-24 UNDERWAY AS BEFORE. 2135  $\angle$  045° 2200 SET FULL CONDITION OF READINESS II AND  
MATERIAL CONDITION ZEBRA MODIFIED. MANEUVERING AT VARIOUS COURSES TO CONDUCT  
HARASSMENT FIRE. 2206 COMMENCED FIRING HARASSMENT FIRE.

*D.W. Kuypers*  
D.W. KUYPERS, LT, USNR

EXAMINED:

*Hayne Ellis III*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

# DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG 24 ZONE DESCRIPTION -8(H) DATE WEDNESDAY 29 JANUARY 19 69  
(Day) (Date) (Month)

AT/PASSAGE FROM REPUBLIC OF SOUTH VIETNAM TO

POSITION	ZONE	TIME
0800		
L <u>10-03.6N</u>	BY <u>2</u>	
λ <u>106-56.2E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>9-59.6N</u>	BY <u>2</u>	
λ <u>106-52.6E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>9-51.8N</u>	BY <u>2</u>	
λ <u>106-51.5E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

00-03 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE OPERATING INDEPENDENTLY AS A UNIT OF TU 70.8.9 IN THE AREA OF THE MEKONG DELTA, SOUTH VIET NAM. SOPA AND OTC ARE COMMANDING OFFICER THIS SHIP. CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA MODIFIED ARE SET THROUGHOUT THE SHIP. HARRASSMENT FIRE IS IN PROGRESS. 1A BOILER IS ON LINE, 2A BOILER HAS FIRES LIT UNDER IT, PLANT IS CROSS CONNECTED. 1A, 1B, 2A, 2B GENERATORS ARE ON LINE, ELECTRICAL LOAD SPLIT. THE SHIP IS ON COURSE 225 AT 8 KNOTS. THE SHIP IS DARKENED WITH THE EXCEPTION OF BRIGHT NAVIGATION LIGHTS. 0013 CEASED FIRE, 36 ROUNDS 5"-54 AMMUNITION EXPENDED. SET MATERIAL CONDITION YOKE AND CONDITION OF READINESS II MODIFIED. 0014 C/C 200. 0021 C/C 170. 0026 C/C 140. 0053 C/C 210. 0013 C/C 150. 0022 C/C 140.

*D. W. Taylor*

D. W. TAYLOR, LTJG, USNR

03-06 UNDERWAY AS BEFORE. 0327 C/C 330°T. 0414 C/C 345°T. 0458 C/C 090°T. 0520 C/C 270°T. 0545 C/C 320°T. 0608 C/C 300°T. 0615 C/C 340°T.

*D. F. Botheine*

D. F. BOTHEINE, LTJG, USN

06-09 UNDERWAY AS BEFORE. 0625 C/C 000°. 0646 C/C 320°. 0655 C/C 300°. 0724 C/C 045°. 0816 C/C 225°.

*D. W. Kuypers*

D. W. KUYPERS, LT, USNR

09-12 0913 C/C 045° 0955 C/C 225° 1030 C/C 035°  
1041 C/C 040° 1109 C/C 050° 1115 C/C 220° 1127 C/C 210°

*M. F. Maas*

M. F. MAAS, LTJG, USNR

12-18 UNDERWAY AS BEFORE. 1235 C/C 210. 1308 C/C 035. 1341 C/C 240. 1345 SET CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA MODIFIED THROUGHOUT THE SHIP. 1350 C/S 12 KTS. 1353 C/C 270. 1357 C/S 8 KTS. 1359 COMMENCED MANEUVERING AT VARIOUS HEADINGS AND ENGINE SPEEDS WHILE LYING TO A BOUY TO FIRE CALL FOR FIRE MISSIONS. 1414 COMMENCED FIRE. 1529 CEASED FIRE, 52 ROUNDS OF 5"-54 AMMUNITION EXPENDED. 1536 SET CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKE THROUGHOUT THE SHIP. 1540 BOUY ON DECK. 1540 C/C 110, C/S 5 KTS. 1543 C/S 15 KTS, C/C 170. 1548 C/C 175°. 1559 C/C 3 KTS. 1601 C/S 10 KTS. 1602 ALL ENGINES STOP. 1603 C/S 10 KTS. SET THE SPECIAL SEA AND REPLENISHMENT DETAIL. 1606 C/S 15 KTS. 1630 COMMENCED VERTICAL REPLENISHMENT FROM THE U.S.S. MARS (AFS-1). BASE COURSE 000°, SPEED 10 KNOTS. 1723 SECURED FROM VERTICAL REPLENISHMENT. 1729 C/S 10 KTS. C/C 300°. 1740 C/C 325°. 1756 C/C 020°T.

EXAMINED

*Hayne Elise III*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

S/M-0105-404-1560

USS WADDELL DDG-24DATE WEDNESDAY 29 JAN 19 69  
(Day) (Date) (Month)

## REMARKS—CONTINUED

*D. F. Berkeane*  
D. F. BERKEANE, LTJG, USN18-21 UNDERWAY AS BEFORE 1832  $\% 200^{\circ}$  1957  $\% 045^{\circ}$ *D. W. Kuipers*  
D. W. KUIPERS, LT, USNR

21-24 UNDERWAY AS BEFORE 2107  $\% 275^{\circ}$  2145 SET FULL  
 CONDITION II. 2146  $\% 350$ . 2200 COMMENCED FIRING NIGHT  
 HARASSMENT FIRE 2209  $\% 180^{\circ}$  2218  $\% 190^{\circ}$  2222  $\% 180^{\circ}$   
 2229 CEASED FIRING. 48 ROUNDS HIGH EXPLOSIVE 5"/54 CAL  
 AMMUNITION EXPENDED. 2230  $\% 12$  KTS  $\% 160^{\circ}$ T. 2235  $\% 15$  KTS.  
 2257  $\% 200^{\circ}$ . 2258 PLACED 'M' BOILER ON THE LINE,  
 PLANT IS SPLIT. 2301  $\% 18$  KTS 2312  $\% 20$  KTS.

*M. F. Maas*  
M F MAAS LTJG USNR

EXAMINED:

*Hayne Ellis III*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

## DECK LOG-REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG 24 ZONE DESCRIPTION -8(H) DATE THURSDAY 30 JANUARY 19 69  
(Day) (Date) (Month)AT/PASSAGE FROM REPUBLIC OF SOUTH VIETNAM TO 

POSITION	ZONE	TIME
0800		
L <u>9-20.2N</u> BY <u>2</u>		
λ <u>106-29.8E</u> BY <u>2</u>		

POSITION	ZONE	TIME
1200		
L <u>9-24.3N</u> BY <u>2</u>		
λ <u>106-39.8E</u> BY <u>2</u>		

POSITION	ZONE	TIME
2000		
L <u>10-25.6N</u> BY <u>2</u>		
λ <u>108-10.9E</u> BY <u>2</u>		

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

00-03 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE OPERATING INDEPENDENTLY AS A UNIT OF TU 7.8.9 IN THE AREA OF THE MCKONG DELTA, SOUTH VIETNAM. SOPA AND OTC ARE COMMANDING OFFICER THIS SHIP. CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKE ARE SET THROUGHOUT THE SHIP. 1A AND 2A BOILERS ARE ON LINE, PLANT SPLIT. 1A, 1B, 2A, 2B GENERATORS ON LINE ELECTRICAL LOAD SPLIT. THE SHIP IS DARKENED WITH THE EXCEPTION OF BRIGHT NAVIGATION LIGHTS. THE SHIP IS ON COURSE 200 AT 20 KNOTS. 0005 C/C 218. 0010 C/C 215. 0045 C/S 22 KTS. 0115 SET SPECIAL SEA AND REFUELING DETAIL. 0117 COMMENCED STEERING VARIOUS COURSES TO GO ALONGSIDE USS TOLOVANA (AO-64). 0147 DIMMED SIDE LIGHTS AND SECURED MASTHEAD LIGHTS. 0154 ALONGSIDE USS TOLOVANA, PORT SIDE TO, BASE COURSE 240, BASE SPEED 12 KNOTS.

D. W. Taylor

D.W. TAYLOR, LTJG, USNR

03-06 UNDERWAY, ALONGSIDE USS TOLOVANA, AS BEFORE. 0443 BREAKING RIG AMIDSHIPS. 0446 ALL LINES WBS CLEAR, C/S 20 KTS, C/C 227. 0447 C/C 240, SECURED SPECIAL SEA AND REFUELING DETAIL. 0448 C/C 047. 0448 ALL NAVIGATION LIGHTS BRIGHT. 0449 C/S 15 KTS.

D. W. Taylor  
D. W. TAYLOR, LTJG, USNR

06-09 UNDERWAY AS BEFORE. 0754 2A BOILER SECURED. ENGINEERING PLANT IS CROSS CONNECTED. 0814 C/C 040°. 0824 C/C 030°. 0837 C/C 000° SET FULL CONDITION II. 0847 C/C 045° C/S 8 KTS. 0907 C/S 10 KTS. 0910 COMMENCED FIRING CALL FIRE NGFS MISSION 0931 C/C 220° 1024 C/C 120° CEASED FIRING, 38 ROUNDS 5"/54 CAL AMMUNITION EXPENDED, SET CONDITION IV

D. W. Taylor  
D. W. TAYLOR, LTJG, USNR

09-12 UNDERWAY AS BEFORE 1037 C/S 5 KTS 1038 C/C 160° 1040 C/C 155° 1043 C/C 120° 1127 C/C 105° 1130 LT FIRES UNDER '2A' BOILER

M. F. Maas  
M. F. MAAS, LTJG, USNR

12-16 UNDERWAY AS BEFORE. 1218 C/C 030°. 1233 C/C 060°. 1241 C/S 15 KTS. C/C 040°. 1304 C/C 025°. C/S 18 KTS. 1311 C/S 20 KTS. 1511 C/C 330°. 1513 C/C 025°. 1528 C/C 010° 1531 C/C 040° 1539 C/C 10 KTS. \* 1510 C/S 15 KTS.

James A. McGrath  
JAMES A. McGRATH  
ENS. USNR

EXAMINED

Hegre Ellis III

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

S/M-0105-404-1560

USS

Waddell (DDG-24)

DATE

Thursday 30 Jan. 1969

(Day)

(Date)

(Month)

## REMARKS—CONTINUED

16-18 UNDERWAY AS BEFORE. 1559  $\angle$  33 $\phi$ ° 16 $\phi$   $\angle$  4 $\phi$ ° 1622  $\angle$  8 $\phi$ ° 5 KTS  
 164 $\phi$  SET THE SPECIAL SEA AND LIGHTLINE DETAIL. 1646  $\angle$  10 KTS. 17 $\phi$ 9 COMMENCING  
 LIGHTLINE TRANSFER WITH USS DUPONT (DD941) BASE COURSE 8 $\phi$ 0T BASE  
 SPEED 10 KTS. 1731 COMMENCED BREAKING RIGS. 1732 ALL LINES CLEAR.  
 1733  $\angle$  2 $\phi$  KTS. SECURED THE SPECIAL ~~AND~~ <sup>AND</sup> LIGHTLINE DETAIL. 1734  $\angle$  <sup>HE</sup>  
 9 $\phi$ ° 1745  $\angle$  22 KTS.

D.W. Taylor

D.W. TAYLOR LTJG USNR

18-24 UNDERWAY AS BEFORE. 18 $\phi$   $\angle$  25 KTS. 1813  $\angle$  71°. 1925  $\angle$  85°

Robert M. Howell

ROBERT M. HOWELL ENS USNR

2 $\phi$ -24 UNDERWAY AS BEFORE 20 $\phi$   $\angle$  55° 2109  $\angle$  59° <sup>2109</sup> ~~2009~~  $\angle$  59° <sup>2109</sup>  
 2216  $\angle$  25° 2218  $\angle$  10° 222 $\phi$   $\angle$  13° 2232  $\angle$  22 KTS.  
 2235  $\angle$  45. 224 $\phi$   $\angle$  7. 23 $\phi$ 3  $\angle$  2 $\phi$  KTS 23 $\phi$ 4  $\angle$  18 KTS. 23 $\phi$ 5  $\angle$  15 KTS.  
 23 $\phi$ 6  $\angle$  17,  $\angle$  1 $\phi$  KTS. 2311  $\angle$  1 $\phi$ . 2313  $\angle$  5 KTS. 2318 ALL STOP, COMMENCED  
 LYING TO WHILE GIG IS LOWERED FOR TRIP TO USS MACKENZIE (DD836). COMDESDIV 32 IS TO  
 BE TRANSFERRED TO THIS SHIP. 235 $\phi$  GIG IN WATER

M.F. Maas

M.F. MAAS, LTJG, USNR

EXAMINED:

Hayne Ellis III

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -8(H) DATE FRIDAY 31 JANUARY 19 69  
(Day) (Date) (Month)  
AT/PASSAGE FROM SOUTH VIETNAM TO BUCKNER BAY, OKINAWA

POSITION	ZONE	TIME
0800		
L <u>12-42.0N</u>	BY <u>1</u>	
λ <u>111-28.9E</u>	BY <u>1</u>	

POSITION	ZONE	TIME
1200		
L <u>13-35.7N</u>	BY <u>1,2</u>	
λ <u>112-40.8E</u>	BY <u>1,2</u>	

POSITION	ZONE	TIME
2000		
L <u>15-49.4N</u>	BY <u>1</u>	
λ <u>115-07.3E</u>	BY <u>1</u>	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

00-04 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE, LYING TO WHILE EFFECTING BOAT TRANSFER OF COM DES DIV 32 FROM THE USS MACKENZIE (DD 836). SOPA AND OTC ARE COMMANDING OFFICER THIS SHIP. CONDITION OF READINESS IV AND MATERIAL CONDITION VOKE ARE SET THROUGHOUT THE SHIP. 1A AND 2A BOILERS ARE ON THE LINE, PLANT SPLIT. 1A, 1B, 2A, 2B GENERATORS ARE ON THE LINE WITH THE ELECTRICAL LOAD SPLIT. THE SHIP IS DARKENED WITH THE EXCEPTION OF BRIGHT NAVIGATION LIGHTS. 0007 COMDES DIV 32 EMBARKED THIS SHIP. COMDES DIV 32 ASSUMES SOPA AND OTC. 0012 GIG IS AT THE RAIL. 0015  $\frac{1}{2}$  15 KTS.  $\frac{1}{2}$  056°. 0025 GIG IS SECURED FOR SEA.  $\frac{1}{2}$  20 KTS. 0030  $\frac{1}{2}$  22 KTS. 0119  $\frac{1}{2}$  065°. 0132  $\frac{1}{2}$  120°. 0204  $\frac{1}{2}$  056°.

*James A. McGrath*  
JAMES A. MCGRATH, ENS, USNR

04-08 UNDERWAY AS BEFORE.

*D. W. Taylor*  
D. W. TAYLOR, LTJG, USNR

08-12 UNDERWAY AS BEFORE 0808  $\frac{1}{2}$  053° 0844  $\frac{1}{2}$  070° 0855  $\frac{1}{2}$  053°

*Robert M. Howell*  
ROBERT M. HOWELL ENS USNR

12-16 UNDERWAY AS BEFORE.

*M. F. Maas*  
M F MAAS LTJG USNR

16-18 UNDERWAY AS BEFORE 1725  $\frac{1}{2}$  100°. 1727  $\frac{1}{2}$  053°. 1732  $\frac{1}{2}$  073° 1739  $\frac{1}{2}$  053°

*James A. McGrath*  
JAMES A. MCGRATH, ENS, USNR

18-20 UNDERWAY AS BEFORE. 1940  $\frac{1}{2}$  047°

*D. W. Taylor*  
D. W. TAYLOR LTJG USNR

20-24 UNDERWAY AS BEFORE. 2214  $\frac{1}{2}$  065°. 1A AND 2A GENERATORS SECURED. 2231  $\frac{1}{2}$  047°. 2236  $\frac{1}{2}$  6 KTS. COMMENCED SONAR NOISE LEVEL TESTS. 2252  $\frac{1}{2}$  9 KTS. 2302  $\frac{1}{2}$  12 KTS. 2309  $\frac{1}{2}$  15 KTS. 2316  $\frac{1}{2}$  8 KTS. 2318  $\frac{1}{2}$  030°. 2326  $\frac{1}{2}$  21 KTS. 2326  $\frac{1}{2}$  020°. 2334  $\frac{1}{2}$  047°. 2335  $\frac{1}{2}$  24 KTS. 2342  $\frac{1}{2}$  22 KTS. SECURED

EXAMINED

*Hayne Ellis III*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

S/M-0105-404-1560

USS Waddell (DDG-24)DATE Friday 31 Jan 19 69  
(Day) (Date) (Month)

## REMARKS—CONTINUED

20-24 CONTINUED. FROM SONAR NOISE LEVEL TESTS. 1A AND 2A GENERATORS  
BACK ON LINE.

Robert M. Howell  
ROBERT M. HOWELL ENS USNR

EXAMINED

Hayne Ellis III

U. S. N. NAVIGATOR